EURA MOBIL



Motorhomes

Preliminary equipment and technical specifications

2026/2027 season

Important information regarding vehicle weights

Since each vehicle in drive mode is only permitted to exhibit an overall weight defined by the manufacturer, weight-related specifications are particularly important when purchasing a motorhome or van. This is especially true when choosing packages and special equipment that is installed at the factory. It must be kept in mind that the overall weight permitted in road traffic may never be exceeded while driving. The information below is therefore intended to make configuring your vehicle easier and to explain the legal requirements relating to vehicle weights. Please read this information through carefully before starting your vehicle configuration process and contact your dealer if you have any questions.

1. The technically permissible overall weight

The technically permissible overall weight in a laden state can be found in the technical specifications for our motor homes and vans, as well as in the configurator. This figure represents the overall weight defined by the manufacturer that the vehicle must not exceed while driving. Otherwise, in many European countries, including Germany, fines may be issued. Since you as the driver of the vehicle are responsible for complying with the technically permissible overall weight, we recommend that you check your vehicle before every journey and weigh your vehicle before setting off.

2. Weight in ready-to-drive state

The weight in ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present).

Information regarding the weight in the ready-to-drive state can also be found in the technical specifications for our motorhomes and vans, as well as in our configurator.

It is important to note that the weight in the ready-to-drive state is a value calculated in the type approval procedure, which is subject to legally permissible fluctuations of up to +/- 5%.

Since these fluctuations impact the remaining payload of the individual vehicle, the occurrence of legally permissible fluctuations must be factored in during the configuration and selection of packages and special equipment.

Example: In the technical specifications, the weight in the ready-to-drive state for the floor plan you have chosen is stated as 2,910 kg. This calculated value is subject to legally permissible fluctuations of +/- 5%, i.e. +/- 146 kg. The weight in the ready-to-drive state of the individual vehicle can therefore range from 2,764 kg to 3,056 kg.

We also list the legally permissible fluctuations in the technical specifications for our motorhomes and vans, as well as in our configurator as an additional text in brackets.

3. The weight of the passengers

The weight of the passengers is calculated from the number of belt-restrained seats defined by the manufacturer and is set at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

The number of belt-restrained seats can be found in the technical specifications for our motorhomes and vans, as well as in our configurator. Please note that these numbers represent the highest possible number of belt-restrained seats for the series-version floor plan in question. The number of belt-restrained seats can however be reduced by the selection of packages and special equipment, or it can make an increase in the vehicle's load capacity necessary.

4. The actual weight of the vehicle / packages and special equipment

The actual weight of the vehicle refers to the weight of the vehicle in the ready-to-drive state plus the packages or special equipment installed at the factory and is listed under point 13.2 of the certificate of conformity (CoC). This figure does not include the special equipment or other accessories that are / have been added by a retailer or by you personally after delivery of the vehicle from the factory.

It should be noted that the actual weight of the vehicle is also a calculated value, which may deviate from a value determined for your individual vehicle due to legally permissible fluctuations in the weight in ready-to-drive state as a calculated value of the actual vehicle weight.

Information regarding the weights of the packages and special equipment available ex works for our motorhomes and vans can be found in our configurator and in the technical specifications.

5. Payload and minimum payload

The payload is the maximum load that a vehicle can carry and is calculated by subtracting the weight in ready-to-drive state, the weight of the passengers and the weight of the packages and special equipment fitted ex works from the technically permissible overall weight.

Preliminary version



Example:

Technically permissible overall weight	3,500 kg
Weight in ready-to-drive state	- 2,910 kg
Weight of passengers	- 225 kg (3 x 75 kg)
Weight of packages / special equipment	- 100 kg
Payload=	265 kg

The installation of packages and special equipment will accordingly always lead to a reduction in the payload. The maximum weights available for packages and special equipment for each floor plan are shown separately in the technical specifications for our motorhomes and vans and in our configurator.

For motorhomes and vans as Class M1 vehicles, compliance with a minimum payload, i.e. the minimum load that a vehicle can transport, is required by law. This minimum payload must not be undercut either when configuring a vehicle or during production and is calculated for our motorhomes and vans according to the following formula:

Minimum payload in kg ≥ 10*(n + L)

Where: "**n**" is the maximum number of belt-restrained seats, plus the vehicle driver, and "L" is the total length of the vehicle in metres

Example: In the case of a motorhome with 4 belt-restrained seats and a length of 7 m, the minimum payload is 110 kg (10 x [4+7]).

It is important to note that legally permissible fluctuations in the weight in the ready-to-drive state can increase the payload of the individual vehicle, but can also reduce it.

Example: (like before):

Technically permissible overall weight	3,500 kg
Weight in ready-to-drive state (+ 4%)	- 3,026.4 kg
Weight of passengers	- 225 kg (3 x 75 kg)
Weight of packages / special equipment	- 100 kg
Payload=	148.6 kg

In order to prevent such fluctuations from leading to a shortfall in the legally prescribed minimum payload, we have limited the maximum weight for packages and special equipment on the manufacturer's side based on the legally permissible fluctuations. Information regarding this can be found in the technical specifications for our motorhomes and vans, as well as in our configurator. This data also takes into account special equipment features of country variations / special models that do not form part of the standard features.

If the configuration process for our motor homes and vans leads to the upper limit for this as defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle.

In exceptional cases, despite a restriction of the weights for packages and special equipment, weighing at the end of the production line can reveal that the individual vehicle's minimum payload is undercut due to legally permissible fluctuations. In such cases, we will not ship the vehicle in question before compliance with the minimum payload is ensured through the removal of packages, special equipment or belt-restrained seats or the vehicle's load capacity is increased.

Preliminary version



Vans

Highlights: "Vancona" van

- → Elegant interior with a modern anthracite-natural wood contrast
- → Washroom with swivel shower wall
- → Table for extensive legroom – without table base
- → Table can be stored in the floor and hung up outside
- → Particularly large wall units (up to 35 cm deep)
- → Floor plans with height-adjustable beds (VV595 HB, VV635 HB)

Highlights: Van

- → Sophisticated atmosphere with high-gloss furniture
- → Interior with textile wall and ceiling covering
- → Kitchen and bathroom with mineral surfaces
- → Bathroom with swivel shower wall
- → Furniture with ambient lighting
- → Panoramic skylight roof hood
- → Efficient insulation for all-year-round use
- → Floor plans available with transverse, single and lift-up bed

Preliminary version

Vans – Feature packages

Van – Optional feature packages

Mondial package

Optional for: VAN "CLASSIC" and "VANCONA"

- Electric parking brake
- Black radiator grille
- Keyless Entry & Go
- "Captains chair" seats
- Radio (Pioneer) incl. preparation for steering wheel controls
- Rear-view camera (Zenec)
- Roof - panoramic roof "Skyroof"
- Manual dimming system for driver's cab (Remis)
- Mosquito screen for sliding door
- Midi-Heki skylight
- Pre-cabling for solar power system
- Bumpers painted in the vehicle colour
- Black skid plate
- Fog lights incl. cornering light
- Steering wheel control
- 16" aluminium rims
- Soft-touch steering wheel and gearshift knob in leather
- Dashboard with chrome rings
- Traction Plus incl. hill descent control
- Adaptive cruise control

Mondial Plus package*

Optional for: VAN "CLASSIC" and "VANCONA"

- Wireless charging
- Digital cockpit 7"
- Automatic air conditioning
- Solar power system (200 Watt)
- Lithium battery 150 A

Mondial and Mondial "Plus" package is the same for both Van and Vancona

Driving Assistance package

Optional for: VAN "CLASSIC" and "VANCONA"

- Full LED headlights
- Rain and light sensor
- Electrically folding exterior mirrors with de-icing feature
- Blind spot assistant

Thermal package

Optional for: VAN "CLASSIC" and "VANCONA"

- Electrical underfloor heating
- Heated windscreen
- Combi D6E heating

* Only in combination with Mondial

** Only in combination with Mondial Plus and Driving Assistance package

Preliminary version

Vans Vancona – Technical specifications







	V 595 HB	V 635 EB	V 635 HB
Base vehicle	**Fiat Ducato 35L // 35H // 40H 103 kW (140 HP)**	**Fiat Ducato 35L // 35H // 40H 103 kW (140 HP)**	**Fiat Ducato 35L // 35H // 40H 103 kW (140 HP)**
Fuel tank	60 L diesel + 19 L Ad Blue	60 L diesel + 19 L Ad Blue	60 L diesel + 19 L Ad Blue
Technically permissible overall weight* [1]	3,500 kg // 4,250 kg	3,500 kg // 4,250 kg	3,500 kg // 4,250 kg
Permissible gross train weight with 140, 180 HP	6,000 // 6,500 kg*	6,000 // 6,500 kg*	6,000 // 6,500 kg*
Permissible trailer load (braked)** with 140, 180 HP	2,500 // 3,000 kg*	2,500 // 3,000 kg*	2,500 // 3,000 kg*
Dimensions			
Total length	5,990 mm	6,360 mm	6,360 mm
Total width	2,050 mm	2,050 mm	2,050 mm
Overall height	2,650 mm	2,650 mm	2,650 mm
Interior width	1,940 mm	1,940 mm	1,940 mm
Standing height	1,890 mm	1,890 mm	1,890 mm
Wheelbase	4,035 mm	4,035 mm	4,035 mm
Standard tyres	215/70 R15 // 225/75 R16C*	215/70 R15 // 225/75 R16C*	215/70 R15 // 225/75 R16C*
Rear bed (height-adjustable in VV 595 HB, V 635 HB, VV 635 HB)	1,850 x 1,500/ 1,400 mm	1,900 x 800 / 1,850 x 820 mm	1,850/1,750 x 1,900 mm***
Bed conversion of the seating group (optional)	1,560 x 860 (500) mm	1,560 x 860 (500) mm	1,560 x 860 (500) mm
Bed in adjustable roof (optional)			
Number of sleeping areas	2/4 (optional)	2/4 (optional)	2/4 (optional)
Permitted number of people with 3-point belt [3]	4	4	4
Installation			
Fresh water tank size [5]	85 l	85 l	85 l
Fresh water tank in the drive position [5]	20 l	20 l	20 l
Waste water capacity	75 l	75 l	75 l
Gas box	2 x 5 kg	2 x 5 kg	2 x 5 kg
Battery capacity	100 Ah Gel	95 Ah Gel	95 Ah Gel
Charger	17 A	17 A	17 A
Refrigerator	84 l	84 l	84 l

* With 35H chassis (optional) ** The permissible gross train weight must be complied with *** In the lower position, the reclining area can be extended to 1880 / 1780 x 1900 mm

[1] **Technically permissible overall weight (kg)** The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

[2] **The weight in the ready-to-drive state (kg)** The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

[3] **Permitted number of people with 3-point belts** The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

[4] **Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have

Preliminary version

Vans – Technical specifications







V 595 HB	V 635 EB	V 635 HB
Fiat Ducato 35L // 35H // 40H 103 kW (140 HP)	**Fiat Ducato 35L // 35H // 40H 103 kW (140 HP)**	**Fiat Ducato 35L // 35H // 40H 103 kW (140 HP)**
90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue	90 L diesel + 19 L Ad Blue
3,500 kg // 4,250 kg	3,500 kg // 4,250 kg	3,500 kg // 4,250 kg
6,000 // 6,500 kg*	6,000 // 6,500 kg*	6,000 // 6,500 kg*
2,500 // 3,000 kg*	2,500 // 3,000 kg*	2,500 // 3,000 kg*
5,990 mm	6,360 mm	6,360 mm
2,050 mm	2,050 mm	2,050 mm
2,650 mm	2,650 mm	2,650 mm
1,940 mm	1,940 mm	1,940 mm
1,890 mm	1,890 mm	1,890 mm
4,035 mm	4,035 mm	4,035 mm
215/70 R15 // 225/75 R16C*	215/70 R15 // 225/75 R16C*	215/70 R15 // 225/75 R16C*
1,860 x 1,490 mm	1,950 x 800 / 1,860 x 800 mm	1,850 (1,700) x 1,600 mm****
1,600 x 950 (500) mm	1,600 x 950 (500) mm	1,600 x 950 (500) mm
1,880 x 1,200 mm	1,880 x 1,200 mm	1,880 x 1,200 mm
2 (4)	2 (4)	2 (4)
4	4	4
85 l	85 l	85 l
20 l	20 l	20 l
75 l	75 l	75 l
2 x 7 kg	2 x 7 kg	2 x 7 kg
100 Ah Lithium	100 Ah Lithium	100 Ah Lithium
17 A	17 A	17 A
84 l	84 l	84 l

**** Reclining area can be extended to 1,850 (1,700) x 1,900 mm in the lower position

Find a Eura Mobil dealer near you here!

restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

[5]**Fresh water tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Preliminary version

Vans – Standard features

S = Standard **P** = Package content
O = Optional **–** = Not possible

	Van-cona	Van
BASE VEHICLE		
Fiat Ducato 35L chassis, van	S	S
Euro 6E, Bis, incl. Ad Blue and soot particle filter	S	S
Driver + passenger airbag	S	S
ABS, ASR, Esp	S	S
Manual air-conditioning system	S	S
Cruise control	S	S
Fuel tank, 90 litre	O	S
Central locking with radio remote control	S	S
Daytime running lights	S	S
Electric window controls at the front	S	S
Decorative wheel trims	S	S
Fix & Go breakdown kit	S	S
Rear bumper black	S	S
SUPERSTRUCTURE EXTERIOR		
Sound and heat insulating roof, floor and sides	S	S
Body colour white	S	S
Body-flush frame windows, insulated, with quick release fasteners	S	S
Windows with mosquito screens and blackout (also in the rear doors)	S	S
Two side windows in the sleeping area (595HB: 1)	O	S
Vent windows at the rear	S	S
External lighting	S	S
Electric step	S	S
DRIVER'S CAB		
Cab seat cover in living area upholstery fabric	S	S
Carpet in the driver's cab	S	S
Seamless, head-high passage to the driver's cab	S	S
2 map compartments above the doors	S	S
2 double reading lights	S	S
Eco-leather trim with integrated LED ambient lights in the transition to the superstructure	–	S
LIVING AREA		
Ergonomically shaped dinette with rounded edges	S	S
Folding table with swivel extension and chrome-plated table base	–	S
Table without table base for even more legroom	S	–
Table top with cup holder	–	S
Living area upholstery in eco-leather / fabric combination with decorative stitching	–	S
Double floor storage compartments under the seating group (1 pull-out, 1 folding compartment, 1 floor storage compartment)	–	S
Storage compartment for table top under the seating group	S	–
Dinette back wall in a natural wood look	S	–
Wall units, rear ventilation, with shelves	–	S
"Beach Home" furniture décor	–	S
"Phyllite Nature" furniture finish	S	–
Wardrobe with pull-out clothes rail	S	S
Smooth Touch fleece covering on the ceiling	S	S
Textile wall covering on the side walls	–	S
Window frame and skylight trims in eco-leather	–	S
Robust metal flap stand	S	S
Chrome-plated cabinet locks with handle button	–	S
LED functional and ambient lighting	S	S
USB ports and TV preparation at the seating group	S	S
KITCHEN		
Single-piece mineral worktop with integrated sink and foldable worktop extension	–	S
Pull-out / retractable kitchen tap	S	S
Wide pull-outs with soft-close function	S	S
Two-burner gas cooker with cover	S	S
Gas shut-off taps centrally located in the kitchen unit	S	S
Compressor refrigerator with 84-litre volume	S	S
Spice rack with acrylic glass rail and indirect lighting	–	S
Ambient lighting on the kitchen unit and wall unit	S	S
2 flap compartments in the entrance area, 1 with bottle holder	–	S
1 pull-out in the kitchen unit accessible from the outside	–	S
Table rail for suspending the dinette table, with folding cover panel (Vancona without cover panel)	S	S
BATHROOM		
Washroom with swivel shower wall	S	S
Shower space with up to 60x90 cm floor space	S	S
Wooden shower grate	S	S
Large mineral washbasin with Click-Clack anti-odour trap	?	S
Storage compartments in the wall unit, shower wall and wall panelling	S	S
Mirror cabinet	S	S
Hinged, 3-cm thick room door	–	S
Sliding door (slatted door)	S	–
Door handle with exclusive imitation leather covering	–	S
Cassette toilet	S	S
Washroom window with mosquito screen and blackout	O	S
SLEEPING AREA		
Rear beds with disc springs (V 595 HB) or slatted frame and cold foam comfort mattresses	S	S
Rear beds can be set up for variable loading area / are height-adjustable	S	S
On Model 635 EB modular storage boxes under the beds	S	S
On Model 635 HB drive-on ramp and load compartment cover made of metal	S	S
Overhead storage cupboards with shelves, back-ventilated and illuminated	S	S
Fabric-covered corner connector modules with integrated loudspeakers on the rear cabinets	–	S
Midi Heki roof hatch above sleeping area	–	S
2 side windows with backlit window frame and skylight trims in imitation leather (595HB: 1)	S	S
Swivelling LED reading spotlights with USB ports	S	S
Rear doors with fabric covering and opening windows	?	S
INSTALLATION		
4KW diesel heating	S	S
Hot water supply with single-lever mixer tap	S	S
Pressurised water pump	S	S
Frost-proof fresh water tank in interior	S	S
Heated waste water tank underfloor	S	S
Water drainage taps frost-proof in interior floor compartment	S	S
Gas box in rear storage compartment	S	S
External shower (not possible for V 595 HB)	S	S
ELECTRICAL SUPPLY		
230V sockets in kitchen, seating group and bathroom	S	S
Function light and ambient lighting can be switched separately	S	S
TV preparation and 12V socket in seating group	S	S
2 USB ports each in living area and sleeping area	S	S
Disconnector for starter and living area battery	S	S
Electric automatic charger for body / vehicle battery	S	S
CEE external connection for 230 V with automatic circuit breaker	S	S
Ground fault circuit interrupter	S	S
On-board control panel with indication of important functions above entrance	S	S
CP+ heating control incl. crash sensor	–	S
iNetX System	S	–

Vans – Special features

		VV 595 HB	VV 635 EB	VV 635 HB	V 595 HB	V 635 EB	V 635 HB
COMFORT PACKAGES							
E-EVPSM04-27	Mondial package – Eura Van Vancona 35L & manual gearbox	O	O	O	–	–	–
E-EVPSM05-27	Mondial package – Eura Van Vancona 35H / automatic transmission	O	O	O	–	–	–
E-EVPSM06-27	Mondial Plus package – Vancona 35L & manual gearbox	O	O	O	–	–	–
E-EVPSM07-27	Mondial Plus package – Vancona 35H / automatic transmission	O	O	O	–	–	–
E-EVPSM08-27	Mondial Plus package – Van 35L & manual gearbox	–	–	–	O	O	O
E-EVPSM09-27	Mondial Plus package – Van 35H / automatic transmission	–	–	–	O	O	O
E-EV2830-27	Thermal package	O	O	O	O	O	O
E-EV2829-27	Driving Assistance package	O	O	O	O	O	O
CHASSIS OPTION – ENGINE							
EV2118-26	180 HP Fiat engine (surcharge compared to 140 HP)	O	O	O	O	O	O
CHASSIS OPTION – OTHER OPTIONS							
EV2315-27	Body 35 H	O	O	O	O	O	O
EV2316-27	Body 40 H	O	O	O	O	O	O
EV2133-27	Fiat automatic transmission in combination with a light chassis	O	O	O	O	O	O
EV2136-27	Fiat automatic transmission in combination with a Maxi chassis	O	O	O	O	O	O
EV3228-27	Pioneer DAB radio	P	P	P	P	P	P
EV3229-27	Rear-view camera	P	P	P	P	P	P
EV2220-27	16" aluminium rims	P	P	P	P	P	P
EV2221-27	16" aluminium rims	P	P	P	P	P	P
EV2372-27	Fuel tank, 60 litre	S	S	S	O	O	O
EV2410-27	Fiat White paintwork	S	S	S	S	S	S
EV2411-27	Fiat Iron Grey paintwork	O	O	O	O	O	O
EV2412-27	Fiat Black paintwork	O	O	O	O	O	O
EV2413-27	Storm Blue paintwork	O	O	O	O	O	O
EV2414-27	Artense Grey paintwork	O	O	O	O	O	O
EV2415-27	Expedition Grey paintwork	O	O	O	O	O	O
EV2416-27	Lanzarote Grey paintwork	O	O	O	O	O	O
SUPERSTRUCTURE OPTION – CANOPIES							
EV5240-27	3.7 m mechanical canopy	O	–	–	O	–	–
EV5241-27	4 m canopy	–	O	O	–	O	O
SUPERSTRUCTURE OPTION – INTERIOR							
EV7250-27	138 l refrigerator	O	O	O	O	O	O
EV3680-27	Manual blackout system	P	P	P	P	P	P
EV5221-27	Roof– panoramic roof/Skyroof	P	P	P	P	P	P
EV5320-27	Black pop-up roof with Skyroof	O	O	O	O	O	O
EV5531-27	Midi-Heki skylight	P	P	P	P	P	P
EV5570-27	Mosquito screen for the body door	P	P	P	P	P	P
EV6220-27	Additional bed (conversion of seating group) for one person	O	O	O	O	O	O
SUPERSTRUCTURE OPTION – SUPPLY TECHNOLOGY							
EV7222-27	Combi D 6 E heating	O	O	O	O	O	O
EV5231-27	Pre-cabling for solar power system	O	O	O	O	O	O
EV5232-27	Solar power system (200 Watt)	O	O	O	O	O	O
EV7320-27	100 Ah lithium battery (1x)	–	–	–	S	S	S
EV7321-27	150 Ah lithium battery	O	O	O	O	O	O
SUPERSTRUCTURE OPTION – TEXTILE FEATURES							
EV6110-27	"Como" upholstery fabric	–	–	–	S	S	S
EV6111-27	"Tropea" upholstery fabric	S	S	S	–	–	–
EV6112-27	"Matera" upholstery fabric	O	O	O	–	–	–
MISCELLANEOUS							
EV9525-27	3 year extended warranty < 4.5t	O	O	O	O	O	O
EV9810-27	Seat reduction by 1 person	O	O	O	O	O	O
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	O	O	O	O	O	O
A 801	Transfer costs (mandatory)	O	O	O	O	O	O

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
– = Not possible

Vorläufige Version



Activa One

highlights

- GRP bodywork uses bonding technology from aviation
- Floor-wall bonding technique using PU and aluminium profiles
- Up to 2,000 kg trailer load
- Continuous double floor without steps in the living area
- Rot-protected GRP chassis
- Wood-free walls with continuous insulation
- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Underfloor heating effect in the floor you walk on
- Insulated and heated coachbuilt
- "Cellar storage space" for travel equipment in the double floor
- Robust aluminium skirts
- Hail-protected walls and roof
- 37-cm high, continuous storage space in the double floor
- Winter-proof according to EN 1646
- Water tanks protected in insulated and heated double floor
- 79-cm high, heated coachbuilt with folding floor
- Storage space in the double floor can be individually divided up at the dealership
- Electric access step
- Body door with window
- Bright and modern "Beach Home" interior

Preliminary version

Activa One – Feature packages

Optional feature packages

Travel package

Optional for: ACTIVA ONE

- Electric parking brake
- Black radiator grille
- "Captain's chair" seats
- Traction Plus incl. hill descent control
- Steering wheel controls
- Bumpers painted in the vehicle colour
- Fog lights incl. cornering light
- Black skid plate
- 16" aluminium rims
- Leather steering wheel and gearshift knob
- Dashboard with techno trim design
- Moniceiver (Xzent) with rear-view camera
- Ambient lighting
- Heki skylight roof hood
- Manual dimming system for driver's cab
- Door mosquito screen
- Pre-cabling for solar power system
- Service flap at the rear
- Radio preparation incl. DAB+
- Adaptive cruise control > 30 km/h
- Fiat 160 HP engine (surcharge compared to 140 HP)
- Fiat automatic transmission in combination with a light chassis

Travel Plus package (only in combination with Travel package)

Optional for: ACTIVA ONE

- Automatic air conditioning
- Inductive charging station
- 7" digital instrument panel
- Naviceiver w. rear-view camera
- Carpet in the driver's cab
- Multi-function exterior socket
- External shower (cold/warm)
- External gas socket on passenger side
- Insulated curtain
  (all-round insulation of the driver's cab including floor insulation)
- Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)
- Lithium battery 150 Ah

Fiat light and visibility package

Optional for: ACTIVA ONE

- Full LED headlights
- Rain and light sensor with high-beam recognition

* Note the weight of the vehicle/trailer combination **Only with belts facing away from the direction of travel ***Only with belts facing away from the direction of travel (2-point belts) and 40 H chassis

Activa One – Floor plans



A ONE 650 HS

Total length:	6.50 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping areas:	4

- Exclusively from Eura Mobil: Single bed comfort in the coachbuilt at a manageable length of 6.50 m
- Sliding door to the driver's cab
- Single beds can be converted into double bed
- Two large wardrobes under single beds
- Spacious, bright rear seating area
- Combination washroom with swivel washbasin and integrated shower
- Kitchen with 142-litre refrigerator in single arrangement
- Retractable TV pull-out at the seating group (optional)

Activa One – Technical specifications

		A ONE 650 HS
Base vehicle		**Fiat Ducato 16" / 3.5 t**
Engine model, Euro 6E, AE		103 kW (140 HP)
Chassis		Fiat CCS low-slung frame
Fuel tank	l	60 L diesel + 19 L Ad Blue
Dimensions and weights		
Double floor height	cm	37
Load volume in the double floor (double floor + rear storage space)	l	1,700
Size of storage door at the rear	cm	85 x 105
Wheelbase	m	3.80
Tyres		225/ 75R16C
Technically permissible overall weight [1]	kg	3,500 // 4,250 (optional)
Weight in ready-to-drive state [2]	kg	3,025 (2874 – 3176)
Maximum weights for packages and special equipment [4]	kg	100
Trailer load, braked*	kg	2,000 // 1,800 // 1,750 (optional)
Total length	kg	6.50
Total width	m	2.32
Overall height	m	3.15
Interior width	m	2.17
Standing height	m	1.98
Coachbuilt height	m	78
Dimensions of front side seating group	cm	-
Dimensions of rear bed	cm	200 x 140 (conversion of the seating group)
Dimensions of coachbuilt bed	cm	200 x 150 // 2 x 200 x 80
Dimensions of rear seating group/longitudinal seat bench	cm	200 x 140
Sleeping areas		4
Permitted number of people with 3-point belts [3]		4
Number of Isofix		-
Window with mosquito screen		5
Number of service flaps		3 (4) optional
Wall thickness of walls, roof, floor	mm	30 / 30 / 38
Fresh water / waste water tank size [5]	l	150/150
Fresh water tank in the drive position [5]	l	10
Battery capacity	l	80 Gel
Refrigerator	Ah	142

Preliminary version

Activa One – Standard features

	ACTIVA ONE
CHASSIS	
140 HP engine, Euro 6E, AE Final	S
CCS wide track low-slung frame (1,980 mm gauge)	S
Cruise control	S
Manual air conditioning	S
ABS + ASR	S
Driver / passenger airbag	S
Fix & Go breakdown kit	S
Daytime running lights	S
ESP including Traction+ and hill descent control	S
16" wheels	S
SUPERSTRUCTURE	
Superstructure winter-proof according to EN 1646	S
Bodywork fully protected from hail with walls and roof made from GRP	S
Double floor throughout, insulated and heated	S
Storage space in the double floor GRP-coated (floor and walls)	S
Floor panel made from GRP and additional aluminium profile reinforcement	S
Wood-free GRP walls, insulated throughout	S
Floor-wall joint without cold bridges	S
Roof edge profile made from painted aluminium with joint sealing	S
Coachbuilt edge profile made from GRP with joint sealing	S
Sturdy chassis side skirts made from powder-painted aluminium	S
Heated and insulated coachbuilt	S
2 windows in the coachbuilt	S
Fold-out coachbuilt floor	S
Safety mesh in the coachbuilt	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S
Extra-large storage space thanks to 37-cm high double floor	S
Electric access step	S
Trumatic Combi 4 heating	S
Seitz insulated window with mosquito screen & blackout flush with the external wall	S
Service flaps with double seal, insulated inlay and self-closing locks	S
Single-key system for the entire superstructure	S
Body door with window and waste bin	S
Large tail lights in a modern design	S
Mini Heki skylight over rear section	S
Mini Heki skylight over front section	S
LED tail lights	S

	ACTIVA ONE
LIVING AREA	
Two-tone furniture décor in wild oak and beach white	S
Wall units with aluminium profile reinforcement	S
Noise insulation for wall unit doors	S
Flooring with footstep sound absorption	S
Upholstered fabrics: Dara	S
KITCHEN	
140-litre refrigerator	S
3-ring hob with electric ignition, glass cover and large work surface	S
Drawers with metal roller runners	S
Deep wall units; divided, with slide guard	S
Water tap with swivel non-drip outlet	S
WASHROOM	
Plenty of space to move around thanks to ergonomically optimised room division	S
Central washroom with integrated shower cubicle	S
Storage closet and mirror	S
Cassette WC with large roller-mounted tank	S
WATER INSTALLATION	
Fresh water system made from Hartflex plastic	S
150-litre fresh water tank insulated and heated in the interior*	S
2 quick-acting drain valves for fresh water in the heated and insulated double floor	S
150-litre waste water tank insulated and heated in the double floor	S
Fittings with ceramic cartridges	S
Siphons to prevent odours	S
ELECTRICAL INSTALLATION	
Electrical distributor panel easily accessible under the passenger seat	S
80 Ah gel battery	S
On-board control panel with separate displays for water, battery and charging voltage	S
LED reading spotlights with real glass	S
Light switch system with household logic system	S
Ceiling lights	S
Number of 230 V power sockets: 2	S
Number of 12 V power sockets: 1	S
21 A charger	S
USB ports: 1	S
Exterior lighting over body door	S

[1]**Technically permissible overall weight (kg)** The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

[2]**The weight in the ready-to-drive state (kg)** The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

[3]**Permitted number of people with 3-point belts** The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

[4]**Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

[5]**Fresh water tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Preliminary version

Activa One – Special features

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
– = Not possible

		A ONE 650 HS
PACKAGES – FEATURE PACKAGES		
PTR28-27	AO650HS Travel package	O
PTR25-27	AO650HS travel plus package	O
2870-27	Fiat motorhomes Driving Assistance package	O
CHASSIS OPTION – ENGINE		
2160-27	140 HP Fiat engine	S
CHASSIS OPTION – SUPERIMPOSED LOAD		
2324-27	Increase of tot. mass to 3.65t	O
2330-27	Red of tot. mass to 3.5 t	O
2358-27	Reinforced front axle springs	O
CHASSIS OPTION – OTHER OPTIONS		
2133-27	Fiat automatic transmission in combination with a light chassis	O
2136-27	Fiat automatic transmission in combination with a Maxi chassis	O
2311-27	Maxi chassis 4.25t	O
2374-27	90-litre fuel tank	O
2890-27	Right-hand drive chassis	O
SUPERSTRUCTURE OPTION – EXTERIOR		
2581-27	Superstructure door with central locking	O
5111-27	Rear comfort supports	O
5122-27	Trailer coupling	O
5412-27	Multi-function socket	O
5441-27	External shower (cold/warm)	O
5521-27	"Sunroof" panoramic glass roof	O
5534-27	Electric roof fan	O
5535-27	Tilting skylight roof hood (Heki)	O
5576-27	Mosquito screen for the body door	O
6651-27	Service flap at the rear	O
SUPERSTRUCTURE OPTION – INTERIOR		
3613-27	All-round insulation in the driver cab	O
3671-27	Carpet in the driver's cab	O
3680-27	Driver cab dimming system	O
6224-27	Additional bed for 2 people (conversion of seating group)	S
6225-27	Child's bed in the cab	O
7812-27	Ambient lighting	O
SUPERSTRUCTURE OPTION – BIKE CARRIER		
5146-27	Bike carrier extension kit 4-way	O
5147-27	Bike carrier for 2 bikes	O
SUPERSTRUCTURE OPTION – CANOPIES		
5243-27	4 m canopy	O
SUPERSTRUCTURE OPTION – HEATING		
7228-27	Combi 6 E heating	O
7510-27	Autonomous E-bike charger	O
SUPERSTRUCTURE OPTION – KITCHEN		
7230-27	Extractor hood	O
7238-27	Oven	O

		A ONE 650 HS
7255-27	Large refrigerator	S
SUPERSTRUCTURE OPTION – TECHNICAL SE		
7321-27	Lithium battery (1x) 150 Ah	O
7324-27	Lithium battery (2x) 150 Ah	O
7327-27	2. gel battery - 80 Ah	O
7341-27	Pre-cabling for solar power system	O
7512-27	External gas socket	O
7516-27	Dual-control CS with de-icer	O
SUPERSTRUCTURE OPTION – FABRICS		
6111-27	Protective covers in structured upholstery fabric for the driver and passenger seat	O
6113-27	"Milano" upholstery fabric	O
6139-27	"Genua" upholstery fabric	O
6113-27	„Milano“ upholstery fabric	O
6114-27	"Lasca" upholstery fabric	O
6115-27	"Tisa" upholstery fabric	O
	„Dara“ upholstery fabric	O
6117-27	Dekoration „Maka“	O
SUPERSTRUCTURE OPTION – MULTIMEDIA		
3215-27	Loudspeakers (2) in the superstructure	O
3237-27	Moniceiver with rear-view camera	O
3238-27	Naviceiver w. rear-view camera	O
SA3241	Internet router	
3441-27	Flat screen wall bracket in rear area	O
3460-27	Flat screen pull-out in front area	-
MISCELLANEOUS		
9813-27	Reduction of permit by 1 person	O
9814-27	Reduction of permit by 2 persons	O
9815-27	Reduction of permit by 3 persons	-
9816-27	Reduction of permit by 4 persons	-
MANDATORY		
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage	O
A80	Transfer costs	O

Find a Eura Mobil dealer near you here!

Preliminary version



Profila T

highlights

- 11-cm high heated double floor with floor storage compartments
- Elegant roof transition between driver's cab and body
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough
- Electrically controlled waste water tank drainage
- Central technology compartment
- 140 HP engine, Euro 6E, Bis
- Noise-insulated window roller blinds (Seitz comfort roller blinds)
- Ambient lighting
- Illuminated entrance area with space for a TV of up to 32"
- kitchen base unit with pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Comfort shower with back-lit shower column (depending on floor plan)
- Shower grate in the washroom
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Seitz framed window flush with the external wall
- Body door with window and waste bin
- Mini Heki skylight over rear bed
- 16" wheels
- LED exterior lighting over body door
- 230 V power socket in washroom
- Combi 4 heating for PT 675 SB, 695 EB
- Alde hot water heating for PT 720 EB, EF
- Manual air conditioning system in the driver's cab
- Passenger airbag

Preliminary version



Variable garage
In the QF models, the the height-adjustable bed even provides space for transporting bicycles.



Couldn't be any easier
The sofas in the EF and QF floor plans can be transformed into single seats in the direction of travel – with Isofix mounts – in no time.

The elegant comfort tourer.

Modern low-profile model with double floor and extensive features. Spacious room layout with stylish, high-quality interior. Agile handling and excellent all-season characteristics.

New furniture architecture with "Chalet Rustico" interior design

↓ Example floor plan: PT 720 EF



The plus points in the interior include: Wall units in a continuous line through to the driver's cab, a large panoramic roof window, two fold-out single seats with Isofix mounts and a table with a folding top.

Preliminary version

Profila T – Floor plans



PT 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping areas:	2/4 (optional)

- ✚ Longitudinally installed double bed with particularly comfortable entry height
- ✚ Rear bathroom with integrated shower cubicle
- ✚ Ergonomically designed corner kitchen with 140-litre refrigerator in individual arrangement
- ✚ Large storage space under the rear bed for camping furniture etc.
- ✚ Floor-to-ceiling wardrobe
- ✚ Comfortable L-shaped seating group with 1.1-m wide sofa on the passenger side
- ✚ Generous open space effect due to free lines of sight



PT 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping areas:	2/4 (optional)

- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Ergonomically designed corner kitchen with 143-litre refrigerator
- ✚ Comfortable L-shaped seating group
- ✚ Washroom with shower and swivel washbasin



PT 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping areas:	2/4 (optional)

- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Spacious bathroom with separate shower
- ✚ Washroom as separate dressing room variably closable on both sides with sliding doors
- ✚ Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- ✚ Comfortable L-shaped seat bench with single seat on the passenger side



PT 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping areas:	2/4 (optional)

- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Table with folding top, height adjustable
- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Spacious bathroom with separate shower
- ✚ Washroom as separate dressing room variably closable on both sides with sliding doors

Preliminary version

Profila T – Feature packages

Optional feature packages

Mondial package

Optional for: PROFILA T

Electric parking brake	Moniceiver (Xzent) with rear-view camera
Black radiator grille	Body door with 2-point locking and central locking system
Swivel console	Roof - "Sun Roof" panoramic glass roof insulated
"Captain's chair" seats	Electric roof fan
Traction Plus incl. hill descent control	Manual dimming system for driver's cab
Steering wheel controls	Door mosquito screen
Bumpers painted in the vehicle colour	Pre-cabling for solar power system
Fog lights incl. cornering light	Heki skylight roof hood
Black skid plate	Radio preparation incl. DAB+
16" aluminium rims	Adaptive cruise control > 30 km/h
Leather steering wheel and gearshift knob	Fiat 160 HP engine (surcharge compared to 140 HP)
Dashboard with techno trim design	Fiat automatic transmission

Mondial Plus package (only in combination with Mondial package)

Optional for: PROFILA T

Automatic air conditioning	External gas socket on passenger side
Inductive charging station	Insulated curtain (all-round insulation of the driver's cab including floor insulation)
7" digital instrument panel	Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)
Naviceiver w. rear-view camera	Exclusive rear design
Carpet in the driver's cab	Lithium battery
Multi-function exterior socket	
External shower (cold/warm)	

Fiat light and visibility package

Optional for: PROFILA T

Full LED headlights
Rain and light sensor with high-beam recognition

Find a Eura Mobil dealer near you here!

Eura Mobil Sealed Structure

Preliminary version

Profila T – Technical specifications







		PT 675 SB	PT 695 EB	PT 720 EB
Base vehicle		**Fiat Ducato 16" / 3.5 t**	**Fiat Ducato 16" / 3.5 t**	**Fiat Ducato 16" / 3.5 t**
Engine model, Euro 6E, AE		103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)		130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis		Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l	60 L diesel + 19 L Ad Blue	60 L diesel + 19 L Ad Blue	60 L diesel + 19 L Ad Blue
Dimensions and weights				
Double floor height	cm	11	11	11
Load volume in the rear storage area	l	1,500	2,700	3,000
Size of storage door at the rear	cm	85x70	85x115	80x115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75 R16C	225/75 R16C	225/75 R16C
Technically permissible overall weight [1)]	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Trailer load, braked*	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99	7.41
Total width	m	2.32	2.32	2.32
Total height incl. Heki	m	2.86	2.86	2.86
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	115 x 105
Bed conversion of the seating group [3)]	cm	200 x 124	200 x 115	200 x 115
Dimensions of rear bed	cm	195 x 137	190 x 80, 185 x 80	2 x 203 x 84
Dimension of longitudinal bench	cm	110 x 65	55 x 65	55 x 65
Sleeping areas		2/4 (optional)	2/4 (optional)	2/4 (optional)
Permitted number of people with 3-point belts [3)]		4 (5) (optional)**	4 (5) (optional)**	4 (5) (optional)**
Number of Isofix		1	1	1
Framed window with mosquito screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank [5)]	l	140 /100	140 /100	140 /100
Fresh water tank in the drive position [5)]	l	10	10	10
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	l	140	142	142

* Note the weight of the vehicle/trailer combination ** Numbers in brackets only in combination with 2324 "superimposed load to 3.65t" or 2311/2313 Maxi chassis

[1]Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

[2]The weight in the ready-to-drive state (kg) The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

[3]Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

Preliminary version

Profila T – Technical specifications



PT 720 EF
Fiat Ducato 16" / 3.5 t
103 kW (140 HP)
130 kW (180 HP)
Fiat CCS low-slung frame
60 L diesel + 19 L Ad Blue
11
3,000
80x115
4.04
225/75 R16C
3,500 // 4,250 // 4,400 (optional)
2,000 // 1,800 // 1,750 (optional)
7.41
2.32
2.86
2.17
1.98
99 x 60
200 x 100
2 x 203 x 83
99 x 60
2/4 (optional)
3 (4) (optional)**
2
4
2
30 / 30 / 38
138 /100
10
80 Gel
142



[4] **Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

[5] **Fresh water tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Preliminary version



Profila T MB

highlights

- Base vehicle: MB Sprinter 415 CDI
- ALDE hot water heating
- AL-KO low frame
- 19.5-cm high heated double floor with floor storage compartments
- Elegant roof transition between driver's cab and body
- "Sun Roof" panoramic roof window, insulated and adjustable (optional)
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- New furniture architecture in "Natural Heritage" or "Chalet Rustico" design (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough
- Electrically controlled waste water tank drainage
- Central technology compartment
- Noise-insulated window roller blinds (Seitz comfort roller blinds)
- Ambient lighting
- Illuminated entrance area with space for a TV of up to 32" (all floor plans)
- Kitchen base unit with pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Comfort rain shower with back-lit shower column (depending on floor plan)
- Shower grate in the washroom
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Seitz framed window flush with the external wall
- Body door with window and waste bin
- Mini Heki skylight over rear bed
- 16" wheels
- Exterior lighting over body door
- 230 V power socket in washroom
- Passenger airbag

Preliminary version



Always handy
There is plenty of additional storage space in the floor hatches and storage compartments of the double floor that can be reached from the inside in a single action.



New era with the star
The modern driver's cab of the Mercedes Sprinter with innovative safety and assistance systems conveys relaxed travel comfort.



Quick loading hatch
The exterior storage compartment integrated into the body at a convenient loading height can be used for frequently used parking spot utensils in the models from 696 EB.

A true delight.

The Profila T on Mercedes Benz promises holiday enjoyment in its purest form. With great attention to detail, we have now brought our best-selling series to the highest level of perfection in the exclusive combination with the Mercedes Sprinter chassis.

Furniture architecture in "Chalet Rustico" or "Natural Heritage" interior design

↓ Example floor plan: PT 726 EF "Natural Heritage"



The plus points in the interior include: "Natural Heritage" interior in pine / walnut décor, spot lighting, free lines of sight for a spacious feel, cellar and underfloor heating in one: Heated double floor

Preliminary version

Profila T MB – Floor plans



PT 696 EB

Total length:	7.12 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping areas:	2/4 (optional)

- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Ergonomically designed corner kitchen with 142-litre refrigerator
- ✚ Comfortable L-shaped seating group
- ✚ Bathroom with shower and swivel washbasin



PT 726 EB

Total length:	7.54 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	3 (4) (optional)
Sleeping areas:	2/4 (optional)

- ✚ Comfortable L-shaped seat bench with single seat on the passenger side
- ✚ Comfort kitchen with large refrigerator in individual arrangement
- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Spacious bathroom with separate shower
- ✚ Washroom as separate dressing room variably closable on both sides with sliding doors



PT 726 EF

Total length:	7.44 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping areas:	2/4 (optional)

- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Table with folding top, height adjustable
- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Spacious bathroom with separate shower
- ✚ Washroom as separate dressing room variably closable on both sides with sliding doors



PT 726 QF

Total length:	7.61 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping areas:	2 (4) (optional)

- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Table with folding top
- ✚ Central queen bed in the rear
- ✚ Bed with sliding slatted frame, adjustable headboard and linen compartment
- ✚ Large rear garage thanks to height-adjustable bed
- ✚ Washroom variably closable on both sides with sliding doors



Preliminary version

Profila T MB – Feature packages

Optional feature packages

Mondial package

Optional for: PROFILA T MB

- Electric exterior mirrors (MB)
- "Captain's chair" seats (Aguti)
- Smartphone integration
- Steering wheel adjustable in height and angle
- Driver's cab air conditioning system
- Storage for smartphones incl. wireless charging
- Heat-insulating glass with band filter
- Uni black paintwork
- Body door with 2-point locking and central locking system
- Roof - "Sun Roof" panoramic adjustable plastic roof
- Electric roof fan
- Heki skylight roof hood
- Manual dimming system for driver's cab
- Door mosquito screen
- Pre-cabling for solar power system

Mondial Plus package (only in combination with Mondial package)

Optional for: PROFILA T MB

- THERMOTRONIC automatic air conditioning
- Leather steering wheel
- 16" aluminium rims (MB) black
- Carpet in the driver's cab
- Multi-function exterior socket
- External shower (cold/warm)
- External gas socket on passenger side
- Insulated curtain
- Exclusive rear design
- Lithium battery
- Dashboard charging package
- Hinged lids for storage compartments
- 170 HP engine (surcharge compared to 150 HP)

Mondial "S" package (only in combination with Mondial Plus package)

Optional for: PROFILA T MB

- 92-litre tank
- mechanical canopy
- Bumpers & attachment parts in vehicle colour
- 17" aluminium rims
- Chrome-plated radiator grille
- Traffic sign assistant
- Distronic active distance assistant
- Heated steering wheel
- Exterior paintwork obsidian black
- Truma DuoControl with remote display, de-icer and crash sensor

Mercedes Driving Assistance package

Optional for: PROFILA T MB

- High beam assistant
- Fog lights
- LED high performance headlights

Find a Eura Mobil dealer near you here!

Eura Mobil Sealed Structure

Preliminary version

Profila T MB – Technical specifications






		PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF
Base vehicle		**MB Sprinter 415 CDI**	**MB Sprinter 415 CDI**	**MB Sprinter 415 CDI**	**MB Sprinter 415 CDI**
Engine model, Euro VI		110 kW (150 HP)	110 kW (150 HP)	110 kW (150 HP)	110 kW (150 HP)
Engine models (optional)		125 kW (170 HP)	125 kW (170 HP)	125 kW (170 HP)	125 kW (170 HP)
Chassis		AL-KO chassis	AL-KO chassis	AL-KO chassis	AL-KO chassis
Fuel tank	l	60 L diesel + 22 L AdBlue	60 L diesel + 22 L AdBlue	60 L diesel + 22 L AdBlue	60 L diesel + 22 L AdBlue
Dimensions and weights					
Double floor height	cm	19.5	19.5	19.5	19.5
Load volume in the rear storage area	l	2,700	3,000	3,000	1,500
Size of storage door at the rear	cm	85 x 115 / 85 x 95	80x115	80x115	80 x 115
Wheelbase	m	4.11	4.15	4.15	4.15
Tyres		225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C
Technically permissible overall weight [1)]	kg	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)	3,500 / 4,500 (optional)
Trailer load, braked*	kg	1,800 / 2,000	1,800 / 2,000	1,800 / 2,000	1,800 / 2,000
Total length	m	7.12	7.54	7.44	7.61
Total width	m	2.32	2.32	2.32	2.32
Overall height	m	2.92	2.92	2.92	2.92
Standing height	m	1.98	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	85 x 60	85 x 60
Bed conversion of the seating group**	cm	200 x 115	200 x 115	200 x 85	200 x 85
Dimensions of rear bed(s)	cm	190 x 80 / 185 x 80	2 x 203 x 83	2 x 203 x 83	190 x 147
Dimension of longitudinal bench	cm	75 x 65	85 x 65	85 x 60	85 x 60
Sleeping areas		2 (4)	2/4 (optional)	2/4 (optional)	2/4 (optional)
Permitted number of people with 3-point belts [3)]		4	3 (4) optional***	3 (4) optional***	3 (4) optional***
Framed window with mosquito screen		3	4	4	4
Number of service flaps		2	2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank [5)]	l	138/88	138/88	138/88	138/88
Fresh water tank in the drive position [5)]	l	10	10	10	10
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	142	142	142

* Note the weight of the vehicle/trailer combination ** Not in combination with 6430 table with chrome-plated table base *** Numbers in brackets only in combination with superimposed load to 4.5 t

[1]Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.
[2]The weight in the ready-to-drive state (kg) The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.
[3]Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).
[4]Maximum weights for packages and special equipment The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.
[5]Fresh water tank size (l) Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Preliminary version

All-inclusive.

Whether it be ample storage space, weather protection thanks to a body made from GRP material, winter resistance and underfloor heating comfort thanks to heated double floors, insurance advantages or generous guarantees – we've thought of everything so that you can enjoy your holiday worry-free.

Quality and progress are hugely important at Eura Mobil.



Sealed Structure
The Eura Mobil principle of seal-vouched quality: a fully protected structure is built from a fully bonded, seamlessly sealed chassis with corrosion-resistant materials in the floor panel, walls and roof.



Withstands winter
To make the feel-good experience on trips and holiday independence perfect, all Eura Mobil motorhomes offer winter-proof on-board technology that is installed in a space-saving manner in the end-to-end double floor construction.



Fibreglass body
The GRP body makes Eura Mobil motorhomes the especially lightweight representatives of their class. GRP components offer the best long-term quality by providing for optimal protection against mechanical, chemical and weather-related influences.



Furniture construction
Did you know? The furniture of a large A-class model alone comprises almost 1,000 parts. This complex task calls for the furniture of our motorhomes to be designed using state-of-the-art CAD workstations.



Double floor
To offer you every kind of freedom, all Eura Mobil motor homes are suitable for use all year round and specially equipped for the "great escape".



Sleeping comfort
The comfortable beds and mattresses in your Eura Mobil are the product of our careful development work and your personal choice.



Kitchens
With the exclusive kitchens from Eura Mobil, you can also free yourself from the rigours of set mealtimes: Why not have breakfast on the beach again, or perhaps enjoy lunch in the mountains ...



Wellness
When days are full of adventure, new discoveries and new experiences, evenings are ideal for retreating into an oasis of calm in your motorhome. For relaxation and recuperation, for refreshment and enjoyment.

Preliminary version



Profila T "Freestyle"

highlights

- Base vehicle: MB Sprinter 317 CDI
- "Freestyle" furniture and feature configuration (with, among other things, new lightweight components in the kitchen, bathroom, doors, cupboards and cabinets)
- 80 Ah lithium battery
- Body with model-specific GRP panels
- ALDE hot water heating
- AL-KO low frame in weight-optimised special version
- 19.5-cm high heated double floor with floor storage compartments
- Elegant roof transition between driver's cab and body
- "Sun Roof" panoramic roof window, insulated and adjustable (optional)
- Large rear garage thanks to rear lowering with fully insulated underbody trough (726 EF)
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- Furniture architecture in "Chalet Rustico" design (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough
- Electrically controlled waste water tank drainage
- Central technology compartment
- Noise-insulated window roller blinds (Seitz comfort roller blinds)
- Ambient lighting
- Illuminated entrance area with space for a TV of up to 32"
- Kitchen base unit with pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Comfort rain shower with back-lit shower column (depending on floor plan)
- USB port for charging mobile devices
- Seitz framed window flush with the external wall
- Body door with window and waste bin
- Mini Heki skylight over rear bed
- 16" wheels
- Exterior lighting over body door
- 230 V power socket in washroom
- Passenger airbag
- Textile wall covering around the rear windows

Preliminary version



Exclusive chassis
Mercedes Sprinter with AL-KO special frame as a basis for dynamic and comfortable handling



Spacious room layout
Both floor plans feature a face-to-face seating group, a spacious bathroom with a separate shower, large beds and plenty of storage space



Perfect body-mass index
Innovative material mix for the body and the furniture design results in a higher payload

Excellent open-area comfort in the 3.5 t class

Thanks to its exclusive chassis-body combination, and with its length of approximately 7.50 metres, the new "Freestyle" presents itself as a well-built and weight-optimised comfort tourer

A tailor-made balance between comfort and dynamic performance

↓ Example floor plan: PT 726 EF "Natural Heritage"



A spacious room layout and a refined natural look are made possible even in the 3.5 t class thanks to the Freestyle features

360° PANORAMA

Preliminary version

↓ Example floor plan: PT 726 EF "Natural Heritage"





Stylish atmosphere in the "Freestyle" bathroom.

Profila T MB "Freestyle" – Feature packages

Optional feature packages

Freestyle package

Optional for: PROFILA T MB "FREESTYLE"

- Electrically adjustable heated exterior mirrors
- Steering wheel adjustable in height and angle
- Leather steering wheel
- Chrome-plated radiator grille
- Distronic active distance assistant
- Heat-insulating glass with band filter
- Traffic sign assistant
- TEMPMATIC semi-automatic air conditioning
- 16" black aluminium rims
- Comfort seats
- High-Tech Silver paintwork
- Body door with 2-point locking and central locking system
- Roof - "Sun Roof" panoramic adjustable plastic roof
- Electric roof fan
- Midi-Heki skylight
- Manual dimming system for driver's cab
- Door mosquito screen
- Pre-cabling for solar power system
- High beam assistant
- Fog lights with cornering lights
- "Freestyle" exterior

Freestyle Plus package

Optional for: PROFILA T MB "FREESTYLE"

- Multi-function exterior socket
- External shower (cold/warm)
- Exclusive rear design

Preliminary version

Profila T MB "Freestyle" – Technical specifications



PT 726 EF "Freestyle"

Total length:	7.44 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping areas:	2/4 (optional)

- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Spacious bathroom with separate shower
- ✚ Washroom as separate dressing room variably closable on both sides with sliding doors



PT 726 QF "Freestyle"

Total length:	7.61 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping areas:	2 (4) (optional)

- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Central queen bed in the rear
- ✚ Bed with adjustable headboard and linen compartment
- ✚ Large rear garage
- ✚ Washroom variably closable on both sides with sliding doors

		PT 726 EF "Freestyle"	PT 726 QF "Freestyle"
Base vehicle		**MB Sprinter 315 CDI**	**MB Sprinter 315 CDI**
Engine model, Euro VI		170 HP	170 HP
Chassis		AL-KO chassis	AL-KO chassis
Fuel tank	l	60 L diesel + 22 L AdBlue	60 L diesel + 22 L AdBlue
Dimensions and weights			
Double floor height	cm	19.5	19.5
Load volume in the rear storage area	l	3,000	1,500
Size of storage door at the rear	cm	80x115	80 x 115
Wheelbase	m	4.15	4.15
Tyres		225/75 R16C	225/75 R16C
Technically permissible overall weight [1]	kg	3,500	3,500
Weight in ready-to-drive state [2]	kg	3,033 (2881 – 3185)	3,042 (2890 – 3194)
Maximum weights for packages and special equipment [4]	kg	82	71
Trailer load, braked*	kg	1,800 / 2,000	1,800 / 2,000
Total length	m	7.44	7.61
Total width	m	2.32	2.32
Overall height	m	2.92	2.92
Standing height	m	1.98	1.98
Dimensions of front side seating group	cm	85 x 60	85 x 60
Bed conversion of the seating group**	cm	200 x 85	200 x 85
Dimensions of rear bed(s)	cm	2 x 203 x 83	190 x 147
Dimension of longitudinal bench	cm	85 x 60	85 x 60
Sleeping areas		2/4 (optional)	2/4 (optional)
Permitted number of people with 3-point belts [3]		4	4
Framed window with mosquito screen		4	4
Number of service flaps		2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank [5]	l	138/88	138/88
Fresh water tank in the drive position [5]	l	10	10
Battery capacity	Ah	80 lithium	80 lithium
Refrigerator	l	142	142

* Note the weight of the vehicle/trailer combination ** Not in combination with 6430 table with chrome-plated table base

[1] **Technically permissible overall weight (kg)** The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

[2] **The weight in the ready-to-drive state (kg)** The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

[3] **Permitted number of people with 3-point belts** The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

[4] **Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

[5] **Fresh water tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Preliminary version

Profila T – Standard features

S = Standard **P** = Package content
O = Optional **–** = Not possible

	PROFILA T	PROFILA T MB	PROFILA T "FREESTYLE"
CHASSIS			
140 HP engine, Euro 6E, AE	S	-	-
150 HP engine, Euro VI	-	S	170 HP
CCS wide track low frame (1,980 mm track width)	S	-	-
ALKO low-slung frame chassis	-	S	S
ABS	S	S	S
Manual air conditioning	S	S	S
Frame extension	S	S	S
Driver / passenger airbag	S	S	S
Electric window risers, driver's cab central locking system	S	S	S
Fix & Go breakdown kit	S	S	S
Daytime running lights	S	S	S
16" wheels	S	S	S
ESP including Traction+ and hill descent control	S	-	-
ASR, EBD and ESP	-	S	S
Electric parking brake	S	S	S
MBUX (without navigation)	-	S	S
Automatic transmission	-	S	S
DRIVER'S CAB			
GRP hood, insulated, with large storage compartments	S	S	S
Stylish fenders, wide designs	S	S	S
Protective covers in the superstructure – upholstery for the driver and passenger seat	S	S	S
SUPERSTRUCTURE			
Lightweight construction double floor throughout, insulated and heated	S	S	S
Aluminium profile without cold bridges for floor-wall joint	S	S	S
Floor hatches with folding handle	S	S	S
Lightweight construction floor panel with aluminium inlay	S	S	S
Wood-free GRP walls	S	S	S
GRP double floor	S	S	S
PVC floor covering with footstep sound insulation	S	S	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	S	S
Mini Heki skylight roof hood over front section	S	S	S
Sturdy chassis side skirts made from powder-coated aluminium	S	S	S
Roof, wall, flooring made from GRP, fully insulated	S	S	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S	S	S
Isofix, 2 x in driving direction	S (EF models only)	S (EF models only)	S (EF models only)
Isofix, 1 x in driving direction	S (675 SB, 695 EB, 720 EB)	S (726 EB, 696 EB)	-
Integrated double access step, insulated	S	-	-
Anti-slip surface on garage floor	S	S	-
Electric access step	-	S	S
Trumatic Combi 4 heating (for vehicles up to 7 metres in length)	S/-	-	-
Alde hot water heating for models from 7.01m length	S/-	S	S

	PROFILA T	PROFILA T MB	PROFILA T "FREESTYLE"
Seitz framed window with mosquito screen flush with the external wall	S	S	S
Service flaps with double seal, insulated inlay and rotary-knob locks	S	S	S
Single key for entire superstructure	S	S	S
Noise insulation for wall unit doors	S	S	S
Large LED tail lights in Integra design	S	S	S
Additional, lowered side and floor storage compartments (depending on floor plan)	-	S	S
Compartment shelves in the upper floor with access from the interior	S	S	S
Exterior lighting over the body door	S	S	S
Extra-wide body door with window and waste bin	S	S	S
Roof compartment for ceiling-flush lift-up bed	-	-	-
Lightweight upper floor	S	S	S
Double-moulded GRP sandwich roof	S	S	S
Garage lowering system with insulated well	S	S	S
LIVING AREA			
"Chalet Rustico" interior	S	S	S
"Natural Heritage" interior	-	O	-
"Navarra" interior	-	-	-
Upholstered fabric: Salento or Cremona	S	S	S
Spacious sofa with longitudinal seat on passenger side	S	S	S
Table with 360° turning and sliding fixture	S	S	S
Two-tone furniture décor	S	S	S
Wall unit flaps with pressurised spring closures	S	S	S
Entrance area with illuminated handle and handy storage compartments	S	S	S
Rear storage spaces with anchor bars, straps and storage boxes	-	-	-
Ambient lighting	S	S	S
Living environment with decorative elements	S	S	S
Mechanical lift-up bed, integrated into the ceiling	-	S	S
Mini Heki skylight over rear bed	S	S	S
KITCHEN			
Flowing transition from the kitchen front to the sofa on models with corner kitchen	S	S	S
Refrigerator 140 l to 160 l (depending on floor plan)	S	S	S
Hob with electric ignition, glass cover and large work surface; number of burners	2	2	2
Pull-outs with self-closing mechanism and soft stop, metal roller runners	S	S	S
Divided deep wall units with slide guards	S	S	S
Colour-accentuated wall units	S	S	S
Extra-wide drawer	S	S	S
Chrome-plated tap	-	-	-
Water tap with swivel non-drip outlet (EF/QF models with retractable water tap)	S	S	S

Preliminary version

Profila T – Standard features

	PROFILA T	PROFILA T MB	PROFILA T "FREESTYLE"
WASHROOM			
Centre washroom w. integr. shower room (696 EB)	S	S	-
Rear washroom with integrated shower cubicle (675 SB)	S	-	-
Separate shower (720, 726)	S	S	S
Storage closet and mirror	S	S	S
Large roller-mounted tank for cassette WC	S	S	S
230V power socket	S	S	S
Bench toilet with folding wooden bench (depending on floor plan)	S	S	S
Bathroom with separate shower PT 720 EB/EF, 726 EB/EF, QF	S	S	S
Shower wall in slate look, with wall heating and reed grass inlay (PT 720 EB/EF)	S	S	S
WATER INSTALLATION			
Fresh water system made from Hartflex plastic	S	S	S
Fixed pipe system for waste water	S	S	S
140 l insulated and heated fresh water tank in the double floor	S	-	-
Insulated and heated fresh and waste water tanks in the double floor*	-	S	S
Central service compartment with access to the water drainage taps	S (EF only)	S (EF only)	S (EF only)
100 l waste water tank in insulated and heated floor trough	S	-	-
Electrically operated waste water tank emptying at the push of a button	S	S	S
Fittings with ceramic cartridges	S	S	S
Siphons to prevent odours	S	S	S
Pressurised water pump	S	S	S
2 drainage valves for fresh water system	S	S	S
Drain valves insulated and heated	S	S	S
ELECTRICAL INSTALLATION			
Electrical distributor panel easily accessible under the passenger seat	S	-	-
80 Ah gel battery	S	S	Lithium
On-board control panel with separate displays for water, battery and charging voltage	S	S	S
LED reading spotlights	S	S	S
Light switch system with household logic system	S	S	S
Ceiling lights with double function light and/or LED ambience	S	S	S
Number of 230 V power sockets: 3	S	S	S
Number of 12 V power sockets: 1	S	S	S
Number of USB ports: 3	S	S	S
21 A charger	S	S	S

Preliminary version

Profila T – Special features

		PROFILA T				PROFILA T MB				PROFILA T FREESTYLE	
		PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	PT 726 EF FREE	PT 726 QF FREE
PACKAGES – FEATURE PACKAGES											
PSM01-27	Profila T Fiat Mondial package	O	O	O	O	-	-	-	-	-	-
PSM03-27	PT Truma Mondial Plus package	O	O	-	-	-	-	-	-	-	-
PSM04-27	PT Alde Mondial Plus package	-	-	O	O	-	-	-	-	-	-
PSM17-27	Profila T Mercedes-Benz GSR2 Mondial package	-	-	-	-	O	O	O	O	-	-
PSM18-27	Profila T Mondial Plus package MB GSR2	-	-	-	-	O	O	O	O	-	-
PSM19-27	Profila T Mondial S package MB 696 GSR2	-	-	-	-	O	-	-	-	-	-
PSM20-27	Profila T Mondial S package MB 726 GSR2	-	-	-	-	-	O	O	O	-	-
PSM15-27	Freestyle package	-	-	-	-	-	-	-	-	O	O
PSM16-27	Freestyle Plus package	-	-	-	-	-	-	-	-	O	O
2871-27	Mercedes-Benz Driving Assistance package	-	-	-	-	O	O	O	O	O	O
2870-27	Fiat Driving Assistance package	O	O	O	O	-	-	-	-	-	-
CHASSIS OPTION – ENGINE											
2112-27	180 HP Fiat engine (AP 140)	O	O	O	O	-	-	-	-	-	-
2121-27	170 HP Mercedes-Benz engine	-	-	-	-	O	O	O	O	S	S
2123-27	150 HP Mercedes-Benz engine	-	-	-	-	S	S	S	S	-	-
2160-27	140 HP Fiat engine	S	S	S	S	-	-	-	-	-	-
CHASSIS OPTION – SUPERIMPOSED LOAD											
2324-27	Increase of tot. mass to 3.65t	O	O	O	O	-	-	-	-	-	-
2329-27	Increase of tot. mass to 4.5t	-	-	-	-	O	O	O	O	-	-
2330-27	Red of tot. mass to 3.5 t	O	O	O	O	-	-	-	-	-	-
2358-27	Reinforced front axle springs	O	O	O	O	-	-	-	-	-	-
CHASSIS OPTION – OTHER OPTIONS											
2132-27	9G-Tronic automatic transmission Mercedes-Benz	-	-	-	-	S	S	S	S	S	S
2133-27	Fiat automatic transmission in combination with a light chassis	O	O	O	O	-	-	-	-	-	-
2136-27	Fiat automatic transmission in combination with a Maxi chassis	O	O	O	O	-	-	-	-	-	-
2311-27	Maxi chassis 4.25t	O	O	O	O	-	-	-	-	-	-
2313-27	Maxi chassis 4.4t	O	O	O	O	-	-	-	-	-	-
2372-27	Fuel tank, 92 litre	-	-	-	-	O	O	O	O	-	-
2373-27	Fuel tank, 60 litre	S	S	S	S	-	-	-	-	-	-
2374-27	90-litre fuel tank (Fiat 2 series)	O	O	O	O	-	-	-	-	-	-
2890-27	Right-hand drive chassis	O	O	O	O	O	O	O	O	O	O
EXTERIOR DESIGN – PAINTWORK											
2421-27	Paintwork obsidian black	-	-	-	-	O	O	O	O	O	O
2424-27	Uni black paintwork MB	-	-	-	-	O	O	O	O	O	O
5452-27	"Freestyle" external décor	-	-	-	-	-	-	-	-	O	O

Find a Eura Mobil dealer near you here!

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
– = Not possible

Preliminary version

Profila T – Special features

		PROFILA T				PROFILA T MB				PROFILA T FREESTYLE	
		PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	PT 726 EF FREE	PT 726 QF FREE
SUPERSTRUCTURE OPTION – EXTERIOR											
2581-27	Superstructure door with central locking	O	O	O	O	S	S	S	S	S	S
2834-27	Exclusive rear design	O	O	O	O	O	O	O	O	O	O
5111-27	Rear comfort supports	O	O	O	O	O	O	O	O	-	-
5122-27	Trailer coupling	O	O	O	O	O	O	O	O	-	-
5412-27	Multi-function socket	O	O	O	O	O	O	O	O	O	O
5423-27	Underfloor camera for electrical tank emptying	-	-	-	-	-	-	-	-	-	-
5441-27	External shower (cold/warm)	O	O	O	O	O	O	O	O	O	O
5512-27	Window in toilet room	O	-	S	S	-	S	S	S	S	S
5521-27	"Sunroof" panoramic glass roof	O	O	O	O	-	-	-	-	-	-
5524-27	"Sun Roof" panoramic roof window, insulated and adjustable	-	-	-	-	O	O	O	O	O	O
5534-27	Electric roof fan	O	O	O	O	O	O	O	O	O	O
5535-27	Tilting skylight roof hood (Heki)	O	O	O	O	O	O	O	O	-	-
5576-27	Mosquito screen for the body door	O	O	O	O	O	O	O	O	O	O
6656-27	Garage door service flap	-	S	S	S	S	S	S	S	S	S
SUPERSTRUCTURE OPTION – INTERIOR											
3613-27	All-round insulation in the driver cab	O	O	O	O	O	O	O	O	-	-
3671-27	Carpet in the driver's cab	O	O	O	O	O	O	O	O	-	-
6273-27	Carpeted floor in the living area	S	S	S	O	S	S	O	O	O	O
3680-27	Driver cab dimming system	O	O	O	O	O	O	O	O	-	-
3885-27	Bedspread on QB/DB	O	-	-	-	-	-	-	O	-	-
3886-27	EB bedspread	-	O	O	O	O	O	O	-	-	-
6213-27	Rear mattress removed	O	O	O	O	O	O	O	O	-	-
6224-27	Additional bed for 2 people (conversion of seating group)	O	O	O	O	O	O	O	O	O	O
6225-27	Child's bed in the cab	O	O	O	O	O	O	O	O	-	-
6236-27	Electr. adjust. lift-up bed for 2 people	-	-	-	-	-	-	-	-	-	-
6237-27	Manually adjustable lift-up bed	-	-	-	-	O	O	O	O	-	-
6354-27	Seat: Fifth seat	O	O	O	-	-	-	-	-	-	-
6356-27	4. seat on driver's side	-	-	-	-	-	-	O	O	S	S
6357-27	Additional seat opposite the direction of travel	O	O	O	-	-	-	-	-	-	-
6432-27	Table with lowerable table base	-	-	-	-	-	-	-	-	O	O
6430-27	Table, removable and with a base for use outside	S	S	S	O	S	S	O	O	O	O
7812-27	Ambient lighting	S	S	S	S	S	S	S	S	S	S
SUPERSTRUCTURE OPTION – BIKE CARRIER											
5146-27	Bike carrier extension kit 4-way	O	O	O	O	O	O	O	O	-	-
5147-27	Bike carrier for 2 bikes	O	O	O	O	O	O	O	O	-	-
5148-27	Lowerable E-bike carrier	O	O	O	O	O	O	O	O	-	-

Preliminary version

Profila T – Special features

		PROFILA T				PROFILA T MB				PROFILA T FREESTYLE	
		PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	PT 726 EF FREE	PT 726 QF FREE
SUPERSTRUCTURE OPTION – CANOPIES											
5243-27	4 m canopy	O	O	-	-	O	-	-	-	-	-
5244-27	4.5 m canopy	-	-	O	O	-	O	O	O	-	-
SUPERSTRUCTURE OPTION – HEATING											
3617-27	Driver cab underfloor heating (heated floor mat/Alde htg.)	-	-	O	O	O	O	O	O	-	-
7220-27	Warm air heating	S	S	-	-	-	-	-	-	-	-
7227-27	Hot water heating - Alde	-	-	S	S	S	S	S	S	S	S
7228-27	Combi 6 E heating	O	O	-	-	-	-	-	-	-	-
SUPERSTRUCTURE OPTION – KITCHEN											
7230-27	Extractor hood	O	O	O	O	O	O	O	O	-	-
7238-27	Oven	O	-	O	O	-	O	O	O	-	-
7255-27	Large refrigerator	S	S	S	S	S	S	S	S	S	S
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES											
5221-27	Roof-mounted air-conditioning system, 230 V	O	O	O	O	O	O	O	O	-	-
5223-27	Roof-mounted air-conditioning system, 230 V (surch. comp. to Mondial)	O	O	O	O	O	O	O	O	-	-
7321-27	Lithium battery (1x) 150 Ah	O	O	O	O	O	O	O	O	S	S
7324-27	Lithium battery (2x) 150 Ah	O	O	O	O	O	O	O	O	-	-
7327-27	2. gel battery - 80 Ah	O	O	O	O	O	O	O	O	-	-
7341-27	Pre-cabling for solar power system	O	O	O	O	O	O	O	O	O	O
7512-27	External gas socket	O	O	O	O	O	O	O	O	O	O
7516-27	Dual-control CS with de-icer	O	O	O	O	O	O	O	O	-	-
7655-27	Waste water tank, insulated and heated	S	S	S	S	-	-	-	-	-	-
SUPERSTRUCTURE OPTION – FABRICS											
6111-27	Protective covers in structured upholstery fabric for the driver and passenger seat	S	S	S	S	S	S	S	S	S	S
6113-27	"Milano" upholstery fabric	O	O	O	O	O	O	O	O	O	O
6127-27	"Salento" upholstery fabric	O	O	O	O	O	O	O	O	O	O
6128-27	"Cremona" upholstery fabric	O	O	O	O	O	O	O	O	O	O
6129-27	"Glendale" upholstery	O	O	O	O	O	O	O	O	O	O
6135-27	"Bergamo" upholstery fabric	O	O	O	O	O	O	O	O	O	O
6137-27	"Leather beige" upholstery fabric	O	O	O	O	O	O	O	O	-	-
6138-27	"Leather grey" upholstery fabric	O	O	O	O	O	O	O	O	-	-

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
– = Not possible

Preliminary version

Profila T – Special features

		PROFILA T				PROFILA T MB				PROFILA T FREESTYLE	
		PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 696 EB	PT 726 EB	PT 726 EF	PT 726 QF	PT 726 EF FREE	PT 726 QF FREE
SUPERSTRUCTURE OPTION – MULTIMEDIA											
3241-27	Internet router	O	O	O	O	O	O	O	O	O	O
3215-27	Loudspeakers (2) in the superstructure	O	O	O	O	O	O	O	O	-	-
3237-27	Moniceiver with rear-view camera	O	O	O	O	-	-	-	-	-	-
3238-27	Naviceiver w. rear-view camera	O	O	O	O	-	-	-	-	-	-
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR											
6475-27	"Chalet" furniture décor	S	S	S	S	S	S	S	S	S	S
6481-27	"Natural Vintage" furniture décor	-	-	-	-	O	O	O	O	-	-
SUPERSTRUCTURE OPTIONS – OTHER											
9813-27	Reduction of permit by 1 person	O	O	O	O	O	O	O	O	-	-
9814-27	Reduction of permit by 2 persons	O	O	O	O	O	O	O	O	-	-
9815-27	Reduction of permit by 3 persons	O	O	O	-	-	-	-	-	-	-
MANDATORY											
9009	Gas safety certificate, COC documents or vehicle paperwork, TÜV approval and pre-carriage	O	O	O	O	O	O	O	O	O	O
A 80	Transfer costs	O	O	O	O	O	O	O	O	O	O

Try out and configure

Suitable for every taste.

Which upholstery colour, which interior and which features meet your needs? Take a look around and configure your personal motorhome directly online.



All information at a glance
Click here for more information on features, upholstery, interiors and more.



Motorhome configurator
Click here to choose one of our models and customise it in line with your personal preferences.

Preliminary version



Features and technical specifications for the **new Xtura models** will be announced at the Caravan Salon

10 YEARS LEAK GUARANTEE

3 YEARS FURNITURE CONSTRUCTION GUARANTEE

Xtura XT 686 EF

highlights

- Base vehicle: Mercedes-Benz with all-wheel drive
- Superstructure concept for long-distance travel and slopes
- Off-road and long-distance travel equipment
- All-season performance
- Electrical self-sufficiency for up to 30 days (depending on use)
- Body with raised floor clearance and optimised slope angle
- Modern interior offering superb travelling comfort
- Torsional stability and resistance to weathering and chemical influences
- Thermal insulation without cold bridges; long-lasting
- AT tyres and Delta wheels (optional)
- Roof rack system for cargo (optional)
- Exterior lighting (optional)
- ALDE heating technology for hot water and hot water underfloor heating
- "VICTRON" power supply system
- All on-board functions are integrated into the GARMIN Empir-Bus™ system
- GARMIN Tread- Overland (optional)
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- Rear axle with 3 cm additional spring
- New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated
- Electrically controlled waste water tank drainage
- Noise-insulated window roller blinds (Seitz comfort roller blinds)
- Ambient lighting
- Illuminated entrance area with space for a TV of up to 32”
- Kitchen base unit with double-latched pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Washroom with swivel wall for integrated shower room
- Single-bed floor plan with adjustable bed frame and pull-out for conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Seitz framed window flush with the external wall
- Body door with window and waste bin
- Mini Heki skylight over rear bed
- LED exterior lighting over body door
- 230 V power socket in washroom
- Manual air conditioning system in the driver's cab

Preliminary version



Gas/induction cooking



Felt pockets



Chassis slope angle

Go your own way!

With the new Xtura, you can discover practically endless possibilities for turning leisure time into mobile freedom.
The vehicle's 4x4 drive system ensures reliable acceleration, even in adverse road conditions. With its optional all-road tyres with an excellent grip, as well as a torsion-resistant superstructure, the Xtura is also able to conquer difficult terrain off the beaten track.

Inside the Xtura, you take your own world with you on your journey.

↓ Example floor plan: Xtura XT 686 EF



Preliminary version

Xtura – Floor plan

XT 686 EF

Total length:	6.88 m
Total width:	2.20 m
Weight class:	4.1 t
Number of seats:	3
Sleeping areas:	2 (4)

- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Face-to-face seating group
- ✚ Gas/induction hob
- ✚ Kitchen base unit with double-latched pull-outs
- ✚ Centre washroom with swivel wall for integrated shower room
- ✚ Underfloor heating
- ✚ Bus-controlled on-board systems

Eura Mobil Sealed Structure



Xtura – Technical specifications

		XT 686 EF
Base vehicle		**MB Sprinter 419 CDI**
Engine model, Euro VI		140 kW (190 HP)
Chassis		Mercedes Sprinter 4x4
Fuel tank	l	65 L diesel + 22 L AdBlue
Dimensions and weights		
Load volume in the rear storage area	l	2,700
Size of storage door at the rear	cm	80 x 105
Wheelbase	m	3665
Tyres		225/75 R16C (265/60 R18C)
Technically permissible overall weight [1]	kg	4,100 kg
Trailer load, braked*	kg	2,000
Total length	m	6.88
Total width	m	2.20
Overall height	m	3.05
Standing height	m	1.98
Dimensions of front side seating group	cm	83 x 60
Bed conversion of the seating group	cm	Not specified
Dimensions of rear bed(s)	cm	196 x 80 / 195 x 80
Dimension of longitudinal bench	cm	40 x 60
Sleeping areas		2 (3) optional
Permitted number of people with 3-point belts [3]		3
Framed window with mosquito screen		4
Number of service flaps		3
Wall thickness of walls, roof, floor	mm	30 / 30 / 85
Fresh water / waste water tank [5]	l	145/105
Fresh water tank in the drive position [5]	l	10
Battery capacity	Ah	330 (lithium)
Refrigerator	l	146

* Note the weight of the vehicle/trailer combination

Preliminary version

Xtura – Feature packages

Optional feature packages

Xperience line

Optional for: XTURA

- Fuel tank, 92 litre
- Electrically adjustable heated exterior mirrors
- Electric roof fan
- Midi-Heki
- Mosquito screen for the body door
- Pre-cabling for solar power system
- Wet wiper system
- Smartphone integration incl. wireless charging
- Distronic active distance assistant
- Hinged lids for storage compartments
- Climatronic automatic air conditioning
- Traffic sign assistant
- Heated steering wheel
- Heated windscreen
- Seat heating

Overland line**

Optional for: XTURA

- All-terrain tyres with Delta rims
- Roof rack with solar panels
- Rear wall support plate

Adventure line***

Optional for: XTURA

- Garmin Tread all-terrain satnav
- Folding solar module
- Driver cab underfloor heating

Driving Assistance package*

Optional for: XTURA

- High beam assistant
- Fog lights
- LED headlights

* in conjunction with Xperience line

** in addition to Xperience line

*** in addition to Overland Line or Xperience Line



[1]**Technically permissible overall weight (kg)** The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

[2]**The weight in the ready-to-drive state (kg)** The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

[3]**Permitted number of people with 3-point belts** The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

[4]**Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

[5]**Fresh water tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Preliminary version

Original accessories for Eura Mobil Xtura



Application example
Base plate with spare wheel holder and spare wheel in combination with a rear ladder on the rail and a canopy

In cooperation with various manufacturers of accessories, we have put together a programme of accessories for our Xtura all-rounder that can be used to accommodate your personal preferences and whose components can be installed by your authorised dealer.

The foundation for the various possibilities here are the base plate at the rear of the Xtura and the roof rail that are installed at the factory. Different types of equipment components can be mounted on the base plate and also removed and replaced as desired.

The factory installed components



Base plate (rear)
Various types of mounting holes in numerous locations make it possible to attach different transport carriers and holders to the base plate.



Roof rail,
shown here in combination with solar panels, a roof-mounted air conditioning system and a roof rack.

Preliminary version

The accessory components



2 roof storage boxes,
mounted on the roof rack: The lockable and robust metal boxes with a moisture protection feature offer additional storage space outside the vehicle and can be accessed quickly using the rear ladder.



Base plate with **bike carrier** and rear ladder on the rail / back wall for up to three bikes.



Large rear storage box
on a mount on the base plate in combination with a rear ladder and rail – waterproof and lockable.



Universal mount
(here for levelling ramp) and **spare wheel holder**. Two stable bar supports and a central screw thread fastener reliably keep the spare wheel secure even when travelling on bumpy surfaces. Boxes, canisters and similar containers can be securely fastened to the universal mount.



Folding rear ladder,
lockable (shown here with a Delta spare wheel mounted on a lockable spare wheel holder)



Surfboard holder
with variable adjustment options on a universal carrier

Preliminary version

Xtura – Standard features

	XT 686 EF
CHASSIS	
Mercedes Sprinter, 190 HP	S
MB 9G-Tronic automatic transmission	S
Sequential all-wheel drive	S
ABS	S
Manual air conditioning	S
Frame extension	S
Driver / passenger airbag	S
Electric window risers, driver's cab central locking system	S
Fix & Go breakdown kit	S
Daytime running lights	S
16" wheels	S
ASR, EBD and ESP	S
Tyre pressure sensors	S
DRIVER'S CAB	
GRP hood, insulated, with large storage compartments	S
Stylish fenders, wide designs	S
Protective covers in the superstructure – upholstery for the driver and passenger seat	S
SUPERSTRUCTURE	
Floor throughout, insulated and heated	S
Aluminium profile without cold bridges for floor-wall joint	S
Floor panel with aluminium inlay	S
Wood-free GRP walls	S
PVC floor covering with footstep sound insulation	S
Roof edge profile made from powder-coated aluminium with joint sealing	S
Mini Heki skylight roof hood over front section	S
Roof, wall, flooring made from GRP, fully insulated	S
Sloping rear wall for optimised slope angle	S
Wall thickness of walls/roof/floor: 30/30/85 mm	S
Isofix, 1 x in driving direction	S
Garage floor with chequer plate	S
Electric access step	S
Alde hot water heating	S
Seitz framed window with mosquito screen flush with the external wall	S
Service flaps with double seal, insulated inlay and rotary-knob locks	S
Single key for entire superstructure	S
Large LED tail lights in Integra line design	S
Additional, lowered side and floor storage compartments (depending on floor plan)	S
Exterior lighting over the body door	S
Extra-wide body door with window and waste bin	S
Double-moulded GRP sandwich roof	S
Garage lowering system with insulated well	S
LIVING ENVIRONMENT	
"Chalet Rustico" interior	S
Upholstery design: Trail	S
Sofa with longitudinal seat on passenger side	S
Table with 360° turning and sliding fixture, folding	S
Two-tone furniture décor	S
Wall unit doors with solid spring closures	S
Entrance area with illuminated handle	S
Rear storage compartments with anchor rails	S
Single beds	S
Swan neck lamps with USB ports in the sleeping area	S
Living environment with decorative elements	S

	XT 686 EF
Mini Heki skylight over rear bed	S
Felt wall pockets	S
Felt-look window shades	S
Headboard with shelf	S
KITCHEN	
Kitchen with ergonomically shaped worktop	S
Refrigerator 146 l	S
Cooker with electric ignition, large work surface, number of gas/induction hobs	2/1
Pull-outs with self-closing mechanism and soft stop, metal roller runners	S
Base unit with double-latched pull-outs	S
Divided deep wall units with slide guards	S
Colour-accentuated wall units	S
Extra-wide drawer	S
Spice board	S
Compressor refrigerator	S
Water tap with swivel non-drip outlet	S
Worktop with indirect illumination for pull-outs	S
WASHROOM	
Centre washroom with swivel wall for integrated shower room	S
Storage closet and mirror	S
Large roller-mounted tank for cassette WC	S
230V power socket	S
Bench toilet	S
Swivel washbasin	S
WATER INSTALLATION	
Fresh water system made from Hartflex plastic	S
Fixed pipe system for waste water	S
145 l insulated and heated fresh water tank	S
Central service compartment with access to the water drainage taps	S
105 l waste water tank in insulated and heated floor trough	S
Electrically operated waste water tank emptying at the push of a button	S
Fittings with ceramic cartridges	S
Siphons to prevent odours	S
Pressurised water pump	S
2 drainage valves for fresh water system	S
Drain valves insulated and heated	S
ELECTRICAL INSTALLATION	
Easily accessible electrical distributor panel in the garage	S
Lithium battery 330 Ah 2 x 200Ah	S
On-board control panel with separate displays for water, battery and charging voltage	S
LED reading spotlights	S
Light switch system with household logic system	S
Number of 230 V power sockets: 3	S
Number of 12 V power sockets: 1	S
Number of USB ports: 3	S
120 A charger	S
LED ambient lighting	S

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
– = Not possible

Preliminary version

Xtura – Special features

		XT 686 EF	
PACKAGES – FEATURE PACKAGES			
PAD02-27	Adventure package	O	
POL01-27	Overland package	O	
PXP03-27	Xperience package	O	
2871-27	Driving Assistance package MB XT	O	
CHASSIS OPTION – ENGINE			
2124-27	190 HP Mercedes-Benz engine	S	
CHASSIS OPTION – OTHER OPTIONS			
2132-27	9G-Tronic automatic transmission Mercedes-Benz	S	
2372-27	Fuel tank, 92 litre	O	
2890-27	Right-hand drive chassis	O	
EXTERIOR DESIGN - RIMS			
2228-27	Tyres steel rims + all-terrain tyres	O	
2229-27	Tyres Delta rims + all-terrain tyres	O	
SUPERSTRUCTURE OPTION – EXTERIOR			
2581-27	Superstructure door with central locking	S	
5111-27	Rear comfort supports	O	
5122-27	Trailer coupling	O	
5237-27	Left rear wall support plate incl. mounted ladder	O	
5324-27	Roof rack with solar panels and work light	O	
5412-27	Multi-function socket	O	
5441-27	External shower (cold/warm)	O	
5524-27	"Sun Roof" panoramic roof window, insulated and adjustable	S	
5534-27	Electric roof fan	O	
5536-27	Midi-Heki	O	
5576-27	Mosquito screen for the body door	O	
6656-27	Garage door service flap	S	
SUPERSTRUCTURE OPTION – INTERIOR			
3613-27	All-round insulation in the driver cab	O	
6430-27	Table, removable and with a base for use outside	O	
3671-27	Carpet in the driver's cab	O	
3680-27	Driver cab dimming system	S	
6213-27	Rear mattress removed	O	
6220-27	Additional bed for 1 person (conversion of seating group)	O	
6225-27	Child's bed in the cab	O	
6357-27	Additional seat opposite the direction of travel	O	
7812-27	Ambient lighting	S	
SUPERSTRUCTURE OPTION – CANOPIES			
5243-27	4 m canopy	O	
SUPERSTRUCTURE OPTION – HEATING			
3617-27	Driver cab underfloor heating (heated floor mat/Alde htg.)	O	
7226-27	Hot water heating – diesel	O	
7227-27	Hot water heating – Alde	S	
SUPERSTRUCTURE OPTION – KITCHEN			
7230-27	Extractor hood	O	
7238-27	Oven	O	
7255-27	Large refrigerator	S	
SUPERSTRUCTURE OPTION – TECHNICAL SERV			
5221-27	Roof-mounted air-conditioning system, 230 V	O	
7341-27	Pre-cabling for solar power system	O	

		XT 686 EF	
7512-27	External gas socket	O	
7516-27	Dual-control CS with de-icer	O	
7655-27	Waste water tank, insulated and heated	S	
SUPERSTRUCTURE OPTION – TEXTILE FEATUR			
6111-27	Protective covers for upholstery fabric for the driver and passenger seat	S	
6130-27	"Trail" upholstery	S	
6131-27	"Trail leather grey" upholstery	O	
6133-27	"Trail leather beige" upholstery	O	
6134-27	"Trail Glendale" upholstery	O	
6273-27	Carpeted floor in the living area	O	
SUPERSTRUCTURE OPTION - MULTIMEDIA			
3215-27	Loudspeakers (2) in the superstructure	O	
3232-27	Garmin Tread Overland all-terrain satnav	O	
3239-27	MBUX	S	
3241-27	Internet router	O	
3439-27	Flat screen wall bracket in front area	O	
SUPERSTRUCTURE OPTION - FURTHER OPTIO			
7270-27	Folding solar module	O	
MANDATORY			
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage	O	
A 80	Transfer costs	O	

Xtura INDIVIDUAL ACCESSORIES – Installation at authorised dealer – Prices are without installation

Product description	Item no.
Xtura Multi-Panel Rear Left (Base plate rear right)	E-2663633ET
Xtura Multi-Panel Rear Right (Base plate rear left)	E-2666396ET
Xtura Multi-Panel Roof (Roof rack)	E-2663632ET
Xtura Roofbox S	75-12-010
Xtura Cargobox S Hinge Left	75-12-011
Xtura Cargobox S Hinge Right	75-12-019
Xtura Cargobox M Hinge Left	75-12-012
Xtura Cargobox M Hinge Right	75-12-020
Xtura spare wheel carrier	E-2663603
Xtura Bike Rack 2	75-12-013
Xtura Bike Rack Extension +1	75-12-015
Universal carrier basket (basket + plate...)	75-12-017
Universal carrier (SKI, boards, etc ...)	75-12-016
Levelling ramp box incl. ARB levelling ramp	75-12-018
BG aluminium wheel – Xtura (mount is E-2663603)	E-2660764
Set: Rear skid plate protection	N/A
Set: Skid plate protection + additional lights	N/A
Set: Engine protector	N/A
Set: Protectors for trans. + diff. + tanks	N/A
Set: Rescue	N/A
Set: Recovery	N/A

Preliminary version



Integra Line

highlights

- Automotive design
- "Short Cabin" visual concept with short front section for extra-wide field of vision
- Powerful LED main headlights (optional depending on equipment)
- LED tail lights
- Pilot's seats with arm rests and integrated seatbelts
- Electrically adjustable bus mirrors, heated
- Lift-up bed 193 x 150 cm in the driver's cab with 78 cm headroom
- 11-cm high heated double floor with floor storage compartments
- Convenient bed access thanks to wide, lowerable lift-up bed
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough
- Electrically controlled waste water tank drainage
- Central technology compartment
- ALDE hot water heating
- Dashboard and door trims in carbon look
- Ambient lighting
- 16" wheels
- ESP
- Mini Heki skylight over front section and rear bed
- Reading lights and orientation light in the driver's cab
- Noise-insulated window roller blinds
- Illuminated entrance area with storage facilities
- Kitchen base unit with pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Sink cover with 2-part chopping board (depending on floor plan)
- Comfort rain shower with back-lit shower column (depending on floor plan)
- Shower grate in the washroom
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB ports for charging mobile devices
- Anchor rail for rear garage
- Seitz framed window flush with the external wall
- 80 Ah lithium-ion battery

Preliminary version



Rear garage
There's plenty of room for bulky luggage or bicycles in the lowered rear garage underneath the bed.



Practical box
On the passenger side in the driver's cab is a practical storage box for travel literature, chargers or other small items at hand. Naturally featuring Eura Mobil's typically stylish and stable characteristics in oak chalet finish.

The perfect choice!

The Integra Line represents the ideal combination of modern technology, attractive design and comfortable features. With its versatile range of layouts in the 7m class, it embodies a tailor-made premium motorhome with an excellent price-performance ratio, especially among the mid-size A-Class models.

In the living area, the fantastic spatial effect is inspirational.

↓ Example floor plan: IL 720 EF



The plus points in the interior include: A fantastic feeling of space despite a compact length, bathroom with huge, variable wardrobe, kitchen with hinged cover and retractable tap, swivel driver cab seats with integrated seatbelt and arm rest.

Preliminary version

Integra Line – Floor plans



IL 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping areas:	4 (6) (optional)

- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Rear bathroom with separate shower
- ✚ Washroom as separate dressing room variably closable on both sides with sliding doors
- ✚ Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- ✚ Comfortable L-shaped seat bench with single seat on the passenger side



IL 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (4) (optional)
Sleeping areas:	4 (6) (optional)

- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Table with folding top, height adjustable
- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Spacious bathroom with separate shower
- ✚ Washroom as separate dressing room variably closable on both sides with sliding doors
- ✚ Kitchen with retractable tap and foldable worktop extension



IL 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (4) (optional)
Sleeping areas:	4 (6) (optional)

- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Table with folding top, height adjustable
- ✚ Central queen bed in the rear
- ✚ Bed with sliding slatted frame, adjustable headboard and linen compartment
- ✚ 2 wardrobes
- ✚ Large rear garage thanks to height-adjustable bed
- ✚ Spacious bathroom with separate shower
- ✚ Washroom variably closable on both sides with sliding doors



IL 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (4) (optional)
Sleeping areas:	4 (6) (optional)

- ✚ Single beds with low entry height
- ✚ Large storage spaces under the beds
- ✚ Rear washroom across the entire width of the vehicle with separate shower
- ✚ Bedroom and dressing room separated from living area with sliding door
- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Table with folding top
- ✚ Kitchen with retractable tap and foldable worktop extension

Preliminary version

Integra Line – Packages

Optional feature packages

Integra Line Mondial package

Optional for the: INTEGRA LINE

- Electric parking brake
- Traction Plus incl. hill descent control
- Steering wheel controls
- 16" aluminium rims
- Leather steering wheel and gearshift knob
- Dashboard with techno trim design
- Moniceiver (Xzent) with rear-view camera
- Integra Line comfort seats incl. height adjustment and lumbar support
- Manual blackout system
- Heki skylight roof hood
- Body door with 2-point locking and central locking system
- Electric roof fan

Integra Line Mondial Plus package (only in combination with Mondial package)

Optional for the: INTEGRA LINE

- Automatic transmission
- 180 HP engine
- Chassis– Maxi instead of 3.5t / 4.4t
- 90-litre fuel tank add-on
- Automatic air conditioning
- Inductive charging station
- 7" digital instrument panel
- Naviceiver w. rear-view camera
- Carpet in the driver's cab
- Multi-function exterior socket
- External shower (cold/warm)
- External gas socket on passenger side
- Heat-insulating double glazing in the side windows
- Elect. front blind blinds for windscreen
- Lithium battery

Find a Eura Mobil dealer near you here!

Eura Mobil Sealed Structure

Preliminary version

Integra Line – Technical specifications







		IL 720 EB	IL 720 EF	IL 720 QF
Base vehicle		**Fiat Ducato 16" / 3.5 t**	**Fiat Ducato 16" / 3.5 t**	**Fiat Ducato 16" / 3.5 t**
Engine model, Euro 6d Final		103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)		130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis		Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l	60 L diesel + 19 L Ad Blue	60 L diesel + 19 L Ad Blue	60 L diesel + 19 L Ad Blue
Dimensions and weights				
Double floor height	cm	11	11	11
Load volume in the rear storage area	l	3,000	3,000	1,500
Size of storage door at the rear	cm	80 x 115	80 x 115	80 x 115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75 R16C	225/75 R16C	225/75 R16C
Technically permissible overall weight [1)]	kg	3,500 // 4,250//4,400 (optional)	3,500 // 4,250//4,400 (optional)	3,500 // 4,250//4,400 (optional)
Trailer load, braked*	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	7.41	7.41	7.57
Total width	m	2.32	2.32	2.32
Overall height	m	2.88	2.88	2.88
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Height above lift-up bed	cm	78	78	78
Dimensions of front side seating group	cm	115 x 105	100 x 65	100 x 65
Bed conversion of the seating group**	cm	200 x 115	200 x 100	200 x 100
Dimensions of rear bed	cm	2 x 203 x 84	2 x 203 x 83	190 x 147
Dimensions of lift-up bed	cm	193 x 150	193 x 150	193 x 150
Dimensions of longitudinal bench or rear seating group	cm	55 x 65	100 x 65	100 x 65
Sleeping areas		4 (6) optional	4 (6) optional	4 (6) optional
Permitted number of people with 3-point belts [3)]		3 (4) (5) optional***	2 (4) optional***	2 (4) optional***
Number of Isofix		1	2	2
Framed window with mosquito screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank [5)]	l	140/100	138/100	138/100
Fresh water tank in the drive position [5)]	l	10	10	10
Battery capacity	Ah	80 Lithium	80 Lithium	80 Lithium
Refrigerator	l	142	142	142

* Note the weight of the vehicle/trailer combination ** Not in combination with 6430 table with chrome-plated table base *** Numbers in brackets only in combination with 2324 "superimposed load to 3.65 t" or 2311/2313 Maxi chassis

[1]Technically permissible overall weight (kg) The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

[2]The weight in the ready-to-drive state (kg) The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

[3]Permitted number of people with 3-point belts The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

Preliminary version

Integra Line – Technical specifications



IL 730 EF

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)
130 kW (180 HP)
Fiat CCS low-slung frame
60 L diesel + 19 L Ad Blue
11
1,700
85 x 55
4.04
225/75 R16C
3,500 // 4,250//4,400 (optional)
2,000 // 1,800 // 1,750 (optional)
7.57
2.32
2.88
2.17
1.98
78
100 x 65
200 x 100
200 x 75, 197 x 75
193 x 150
100 x 65
4 (6) optional
2 (4) optional***
2
4
2
30 / 30 / 38
138/100
10
80 Gel
142

More information

Click here for more information on floor plans, upholstery, interiors and more ...





[4] **Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

[5] **Fresh water tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.

Preliminary version



Integra Line GT

highlights

- Mercedes Sprinter 415 CDI chassis
- Innovative cab geometry in accordance with the new GSR 2 standard
- Extensive safety and assistance system equipment
- Cameras for the latest assistance systems integrated into the windscreen and dashboard
- Sporty high-end RIM front section with dynamic highlighting of
light brackets and air inlets
- Radiator with elegant matt metallic frame
- Body with mineral grey gel coat coating
- Bonnet and front mask with muscular bulges
- Extra deep special low frame for safe handling and maximum load volume
- 30-cm high heated double floor with floor storage compartments
- Standing height of 2.05m, external height 3.06m
- Moisture-protected storage tray accessible from both sides and from above
- Liner storage flaps that open upwards
- Automotive design
- "Short Cabin" visibility concept with short front section for extra wide field of vision
- Powerful twin headlights
- LED tail lights
- Pilot's seats with arm rests and integrated seatbelts
- Electrically adjustable bus mirrors, heated
- Lift-up bed 193 x 150 cm in the driver's cab with 78 cm headroom
- Convenient bed access thanks to wide, lowerable lift-up bed
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- Wood-free walls with continuous insulation (rot-proof)
- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- Water tanks heated and insulated in the double floor
- Electrically controlled waste water tank drainage
- Central technology compartment
- ALDE hot water heating
- Dashboard and door trims in carbon look
- Noise-insulated window roller blinds
- Illuminated entrance area with storage facilities
- Kitchen base unit with pull-outs
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Comfort rain shower with back-lit shower column
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- Anchor rail for rear garage

Preliminary version

More compact than a liner …

The new Integra Line GT defines its very own class in the A-Class segment. With a decidedly sporty design, and offering significant performance advantages over conventional premium A-Class vehicles on the one hand and significantly more compact dimensions compared to liners on the other hand, the GT sets its own individual standard of luxury and dynamic performance.

The Gran Turismo in the premier class

↓ Example floor plan: Integra Line GT 726 EF





… more than just an A-Class.

The dynamic, elegant design presents itself as the striking face of an athletic Gran Turismo, with an AL-KO STC special low frame that sets new performance attribute standards with a 30-cm double floor, 2.05m standing height and an exclusive interior. With vehicle lengths at around the 7.50 metre mark, the GT offers handling that is as simple as it is superior, and in this manner it remains decidedly light-footed as compared to other A-Class vehicles.

Preliminary version

More than just a highlight ahead of the rest



High-performance LED headlights light up the night. Now with an upgrade that enables an even greater range and more brightness.



Plenty of space to move around thanks to the table with a folding worktop and the face-to-face seating arrangement



Storage tray is accessible from both sides and from the interior. For loading the integrated Euro boxes or the moisture-protected floor trough.



Radiator grille with elegant metallic frame.



Liner storage flaps that open upwards for convenient loading and unloading.



Extra deep **special low frame** for safe handling and maximum load volume.



Modern **assistance and safety systems** for more comfort and safety.



Floor hatches allow access to the storage area in the double floor from the inside as well.



High-end RIM front section with dynamic highlighting of light brackets and air inlets.



Particularly large **load volume** thanks to double floor height of 30 cm.

Preliminary version

Integra Line GT– Technical specifications

- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Table with folding top, height adjustable
- ✚ Single beds in the rear
- ✚ Large rear garage
- ✚ Spacious bathroom with separate shower
- ✚ Washroom as separate dressing room variably closable on both sides with sliding doors
- ✚ Kitchen with retractable tap and foldable worktop extension



- ✚ Comfort seating group with two-person sofas positioned opposite each other
- ✚ Table with folding top, height adjustable
- ✚ Central queen bed in the rear
- ✚ Bed with sliding slatted frame, adjustable headboard and linen compartment
- ✚ 2 wardrobes
- ✚ Large rear garage thanks to height-adjustable bed
- ✚ Spacious bathroom with separate shower
- ✚ Washroom variably closable on both sides with sliding doors



		IL GT 726 EF	IL GT 726 QF
Base vehicle		**MB Sprinter 415 CDI**	**MB Sprinter 415 CDI**
Engine model, Euro VI		110 kW (150 HP)	110 kW (150 HP)
Engine models (optional)		125 kW (170 HP)	125 kW (170 HP)
Chassis		AL-KO STC special low frame chassis	AL-KO STC special low frame chassis
Fuel tank	l	60 L diesel + 22 L AdBlue	60 L diesel + 22 L AdBlue
Dimensions and weights			
Double floor height	cm	29.5	29.5
Load volume in the rear storage area	l	3,000	1,500
Size of storage door at the rear	cm	85 x 115	85 x 115
Wheelbase	m	4.11	4.11
Tyres		225/75 R16C	225/75 R16C
Technically permissible overall weight [1]	kg	4,500	4,500
Trailer load, braked*	kg	2,000	2,000
Total length	m	7.47	7.65
Total width	m	2.32	2.32
Overall height	m	2.98	2.98
Standing height	m	2.05	2.05
Dimensions of front side seating group	cm	85 x 60	85 x 60
Bed conversion of the seating group	cm	200 x 86	200 x 86
Dimensions of rear bed(s)	cm	2 x 196 x 84	195 x 147
Dimensions of lift-up bed	cm	193 x 150	193 x 150
Dimension of longitudinal bench	cm	85 x 60	85 x 60
Sleeping areas		4	4
Permitted number of people with 3-point belts [3]		3 (4) optional	3 (4) optional
Framed window with mosquito screen		4	4
Number of service flaps		2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank [5]	l	150/100	150/100
Fresh water tank in the drive position [5]	l	10	10
Battery capacity	Ah	80 Gel	80 Gel
Refrigerator	l	142	142

Preliminary version

Integra Line GT– Packages

Optional feature packages

IL GT Mondial package

Optional for the: INTEGRA LINE GT

- Leather steering wheel
- Smartphone integration
- 16" black aluminium rims
- 170 HP engine (surcharge compared to 150 HP)
- Distronic active distance assistant
- Dashboard charging package
- Storage for smartphones incl. wireless charging
- 92-litre tank
- Bus mirrors
- Integra Line GT comfort seats
- Rear-view camera
- Body door with 2-point locking and central locking system
- Electric roof fan
- Heki skylight roof hood
- Door mosquito screen
- Pre-cabling for solar power system
- LED front lighting ILGT

IL GT Mondial Plus package (only in combination with Mondial package)

Optional for the: INTEGRA LINE GT

- Navigation software for MBUX
- Thermotronic automatic air conditioning
- Traffic sign assistant
- Heat-insulating double glazing in the side windows
- Elect. front blind blinds for windscreen
- Carpet in the driver's cab
- Multi-function exterior socket
- External shower (cold/warm)
- External gas socket on passenger side
- Lithium battery

* Observe the permissible gross train weight

[1]**Technically permissible overall weight (kg)** The technically permissible overall weight in a laden state refers to the overall weight defined by the manufacturer that the vehicle may not exceed when in drive mode.

[2]**The weight in the ready-to-drive state (kg)** The weight in the ready-to-drive state refers to the weight of the vehicle (with standard features according to the manufacturer's specifications) with its fuel tank filled to at least 90% of capacity and includes the weight of the driver (which is calculated at a nominal value of 75 kg), the weight of the fuel and fluids, the weight of the superstructure and the driver's cab, and the weight of the towing hitch and the tyre repair kit (to the extent these are present). This represents a calculated value that is subject to legally permissible fluctuations of up to ± 5% (see additional text in brackets). Since these legally permissible fluctuations impact the vehicle's payload and therefore also the weights of the packages and special equipment that can be ordered, the occurrence of such fluctuations must be factored into the configuration process and the choice of packages and special equipment.

[3]**Permitted number of people with 3-point belts**The weight of the passengers is calculated at a nominal 75 kg per seat, whereas the weight of the driver, which was already taken into account in the weight in the ready-to-drive state, must be deducted. In the case of a vehicle with four belt-restrained seats, the weight of the passengers is therefore 225 kg (3 x 75 kg).

[4]**Maximum weights for packages and special equipment** The maximum weights for packages and special equipment represent a value calculated for each floor plan with which we have restricted the weights for the packages and special equipment that can be ordered from the factory. This is intended to ensure that the legally prescribed minimum payload is complied with after the vehicle is shipped from the factory. If the configuration process leads to the upper limit for this defined by the manufacturer being exceeded as a result of the choice of packages and special equipment, you can only continue with the configuration process if you de-select packages, special equipment or belt-restrained seats or choose to increase the vehicle's load capacity. Otherwise, you will not be able to continue the configuration or order the configured vehicle. Please note that the calculation of the maximum weights for packages and special equipment also takes into account the special equipment features of the selected country variation / the selected special model.

[5]**Fresh water tank size (l)** Please note that the capacity of the fresh water tank is significantly reduced in the drive position. If the payload of the individual vehicle is sufficient, it can be filled to its full capacity.



Preliminary version

Integra Line – Standard features

	Integra Line	Integra Line GT
CHASSIS		
140 HP, Euro 6d final (150 HP)	S	S
180 HP engine, Euro VI (170 HP)	O	O
CCS wide track low-slung frame (1,980 mm gauge) with frame extension	S	S
AL-KO low-slung frame chassis	-	S
ABS	S	S
Driver / passenger airbag	S	S
Manual air conditioning	S	S
ESP including Traction+ and hill descent control	S	S
Cruise control	S	S
16" wheels	S	S
Fix & Go breakdown kit	S	S
Daytime running lights	S	S
LED daytime running lights	P	P
LED headlights	P	P
LED dipped beam (IL GT with Gen 4 upgrade)	P	P
LED tail lights	S	S
MBUX without navigation	S	S
Automatic transmission	S	S
DRIVER'S CAB		
Protective covers in the superstructure – upholstery for the driver and passenger seat	S	S
Front mask made from moulded GRP piece	S	S
Exclusive lamp unit with integrated turn signal	S	S
Panoramic windscreen (for wide field of vision)	S	S
Eura Mobil "Short Cabin"	S	S
Short front section with integrated original Fiat crash protection	S	S
Short dashboard with wide viewing angle to the front	S	S
Wide-opening, narrow bonnet with direct access to windscreen wash and oil top-up nozzles	S	S
Electrically adjustable bus mirrors, heated	S	S
Dashboard and door trims in carbon look	-	-
Lift-up bed with 78 cm seat height	S	S
Electrically controlled lift-up bed	O	O
Storage closets under the lift-up bed	S	S
Ambient lighting below the lift-up bed	S	S
Mini Heki skylight over lift-up bed	S	S
Driver's door with large storage compartments	S	S
Electric control panel within easy reach in the covered compartment on the passenger side	S	S
Electric window raiser for the driver's door	S	S
Extensive noise insulation	S	S
Driver's cab with automotive design	S	S
GRP front mask with headlight housings in RIM technology	S	S
Lowered radiator bridge for easy access to the engine compartment	S	S
Seat heating	S	S
Heated windscreen	S	S
Bonnet with gas spring assistance	S	S
Pilot's seats with arm rests and integrated seatbelts	S	S
Driver's cab door with double locking and central remote locking	S	S
Sliding windows for passenger side	S	S
Concertina darkening system for driver's cab	O	O
Electrically controlled front blinds	O	O
Card compartment with handy hinged lid on the passenger side	S	S
Reading lights and orientation light in the driver's cab	S	S

	Integra Line	Integra Line GT
SUPERSTRUCTURE		
Lightweight construction double floor insulated and heated throughout	S	S
Aluminium profile without cold bridges for floor-wall joint	S	S
Lightweight construction floor panel with aluminium inlay	S	S
Insulated wheel arches	S	S
Wood-free GRP walls	S	S
Double floor GRP-coated	S	S
Roof, wall, flooring made from GRP, fully insulated	S	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S	S
Isofix, 2 x in driving direction	S (EF + QF models)	S
Isofix, 1 x in driving direction	S (except EF/QF models)	–
Roof edge profile made from powder-coated aluminium with joint sealing	S	S
Sturdy chassis side skirts made from aluminium	S	S
Electrically actuated step	-	-
Integrated double access step, insulated	S	S
Alde hot water heating	S	S
Duo control with remote display, de-icer and crash sensor	O	O
Service flaps with double seal, insulated inlay and self-closing locks	S	S
Extra-wide body door with window and waste bin	S	S
Wall units with aluminium profile reinforcement	S	S
Warm air circulation in double floor for underfloor heating effect	S	S
Exterior lighting over body door	S	S
Fresh and waste water tank in heated and insulated floor trough	S	S
Fresh and waste water tank in heated double floor	-	-
GRP rear wall with three-dimensional curving	S	S
Diffuser elements in black gel coat integrated into single-piece rear section	S	S
Additional, lowered side and floor storage compartments (depending on floor plan)	S	S
Extra-wide body door with window and waste bin	S	S
Lightweight upper floor	S	S
Double-moulded GRP sandwich roof	S	S
Garage lowering system with insulated well	S	S
Garage doors on the driver and passenger side	S	S
Anti-slip surface on garage floor	S	S
Mosquito screen for the body door	P	P
Heki skylight roof hood over seating group	P	P
Mini Heki skylight over rear bed	S	S
Mini Heki skylight over front section	S	S
Insulated Seitz framed window with mosquito screen flush with the external wall	S	S
Window roller blinds with noise insulation	S	S
Carpeted floor in the superstructure	O	O
Garage lowering system with insulated well	S	S

Preliminary version

Integra Line – Standard features

S = Standard **P** = Package content
O = Optional **–** = Not possible

	Integra Line	Integra Line GT
LIVING AREA		
"Chalet Rustico" interior	S	S
Upholstered fabric: Salento or Cremona	S	S
Table with 360° turning and sliding fixture	S	S
Living area with decorative elements (and wall pockets)	S	S
Stable slatted frames, with underneath ventilation	S	S
Noise insulation for wall unit doors	S	S
Ambient lighting	S	S
Wall unit profile made from aluminium with integrated stop attenuation for furniture doors	S	S
Compartment shelves in the upper floor with access from the interior	S	S
Rear bed in all QB models, height-adjustable	P	P
KITCHEN		
138 l to 153 l refrigerator (depending on floor plan)	S	S
Hob with electric ignition, glass cover and large work surface; number of burners 2	S	S
Drawers with metal roller runners	S	S
Extra-wide drawers with self-closing mechanism and soft-stop	S	S
Water tap with swivel non-drip outlet	S	S
Ergonomically shaped kitchen block	O	O
Oven	O	O
Extractor hood	O	O
WASHROOM		
Separate shower IL 720 QF, IL 730 EF, IL 720 EB	S	S
Storage closet and mirror	S	S
Cassette toilet with large roller-mounted tank	S	S
230 V power sockets	S	S
Bathroom with separate shower cubicle on the IL 720 EF, QF	S	S
Comfort rain shower with back-lit shower column (depending on floor plan)	S	S
Toilet room with mirrored cabinet and base unit	S	S
Window in toilet room (layout-dependent)	O	O
Door to sleeping area on IL 720, 730	S	S
WATER INSTALLATION		
Fresh water system made from Hartflex plastic	S	S
Fixed pipe system for service water / waste water	S	S
140 l insulated and heated fresh water tank in the double floor *	S	S
150 l insulated and heated fresh water tank in the double floor *	S	S
2 drainage valves for fresh water system	S	S
100 l waste water tank in insulated and heated floor trough	S	S
Electrically operated waste water tank emptying at the push of a button	S	S
Fittings with ceramic cartridges	S	S
Siphons to prevent odours	S	S

	Integra Line	Integra Line GT
ELECTRICAL INSTALLATION		
Electrical distributor panel easily accessible in the cover on the passenger seat	S	S
80 Ah gel battery	S	S
On-board control panel with separate displays for water, battery and charging voltage	S	S
LED reading spotlights with real glass	S	S
Light switch system with household logic system	S	S
LED ceiling light	S	S
Number of 230 V power sockets: 3	S	S
Number of 12 V power sockets: 1	S	S
21 A charger	S	S
USB charging ports in the living area and bedroom	S	S
TV preparation	S	S

Preliminary version

Integra Line – Special features

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
– = Not possible

		INTEGRA LINE				ILGT	
		IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	ILGT 726 EF	ILGT 726 QF
PACKAGE - FITTINGS PACKAGES							
PSM07-27	Integra Line Mondial package	O	O	O	O	-	-
PSM08-27	Integra Line Mondial Plus package	O	O	O	O	-	-
PSM21-27	Integra Line GT Mondial package	-	-	-	-	O	O
PSM14-27	Integra Line GT Mondial Plus package	-	-	-	-	O	O
CHASSIS OPTION – ENGINE							
2112-27	180 HP Fiat engine (surcharge compared to 140 HP)	O	O	O	O	-	-
2121-27	170 HP Mercedes-Benz engine	-	-	-	-	O	O
2123-27	150 HP Mercedes-Benz engine	-	-	-	-	S	S
2160-27	140 HP Fiat engine	S	S	S	S	-	-
CHASSIS OPTION – SUPERIMPOSED LOAD							
2324-27	Increase of tot. mass to 3.65t	O	O	O	O	-	-
2330-27	Red of tot. mass to 3.5 t	O	O	O	O	-	-
2358-27	Reinforced front axle springs	O	O	O	O	-	-
CHASSIS OPTION – OTHER OPTIONS							
2132-27	9G-Tronic automatic transmission Mercedes-Benz	-	-	-	-	S	S
2133-27	Fiat automatic transmission in combination with a light chassis	O	O	O	O	-	-
2136-27	Fiat automatic transmission in combination with a Maxi chassis	O	O	O	O	-	-
2311-27	Maxi chassis 4.25t	O	O	O	O	-	-
2313-27	Maxi chassis 4.4t	O	O	O	O	-	-
2372-27	Fuel tank, 92 litre	-	-	-	-	O	O
2373-27	Fuel tank, 60 litre	S	S	S	S	-	-
2374-27	90-litre fuel tank (Fiat 2 series)	O	O	O	O	-	-
2550-27	LED upgrade for front lighting	-	-	-	-	O	O
2590-27	Heated windscreen	-	-	-	-	O	O
SUPERSTRUCTURE OPTION – EXTERIOR							
2581-27	Superstructure door with central locking	O	O	O	O	O	O
5111-27	Rear comfort supports	O	O	O	O	O	O
5122-27	Trailer coupling	O	O	O	O	O	O
5412-27	Multi-function socket	O	O	O	O	O	O
5441-27	External shower (cold/warm)	O	O	O	O	O	O
5512-27	Window in toilet room	S	S	S	-	S	S
5534-27	Electric roof fan	O	O	O	O	O	O
5535-27	Tilting skylight roof hood (Heki)	O	O	O	O	O	O
5576-27	Mosquito screen for the body door	O	O	O	O	O	O
6656-27	Garage door service flap	S	S	S	S	-	-

Preliminary version

Integra Line – Special features

		INTEGRA LINE				ILGT	
		IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	ILGT 726 EF	ILGT 726 QF
SUPERSTRUCTURE OPTION – INTERIOR							
3541-27	Comfort seats	O	O	O	O	O	O
3611-27	Driver cab floor insul. mat	O	O	O	O	O	O
3616-27	Insulating double glazing	O	O	O	O	O	O
3671-27	Carpet in the driver's cab	O	O	O	O	O	O
3680-27	Driver cab dimming system	S	S	S	S	S	S
3886-27	EB bedspread	O	O	-	O	O	-
6273-27	Carpeted floor in the living area	O	O	O	O	O	O
6213-27	Rear mattress removed	O	O	O	O	O	O
6224-27	Additional bed for 2 people (conversion of seating group)	O	O	O	O	O	O
6236-27	Electr. adjust. lift-up bed for 2 people	O	O	O	O	O	O
6237-27	Manually adjustable lift-up bed	S	S	S	S	S	S
6354-27	Seat: Fifth seat	O	-	-	-	-	-
6356-27	4. seat on driver's side	-	-	-	-	O	O
6357-27	Additional seat opposite the direction of travel	O	-	-	-	-	-
6431-27	Storage cabinets instead of lift-up bed	O	O	O	O	-	-
7812-27	Ambient lighting	S	S	S	S	S	S
SUPERSTRUCTURE OPTION – BIKE CARRIER							
5146-27	Bike carrier extension kit 4-way	O	O	O	O	O	O
5147-27	Bike carrier for 2 bikes	O	O	O	O	O	O
5148-27	Lowerable E-bike carrier	O	O	O	-	O	O
SUPERSTRUCTURE OPTION – CANOPIES							
5245-27	5 m canopy	O	O	O	O	-	-
5246-27	5.5 m canopy	-	-	-	-	O	O
SUPERSTRUCTURE OPTION – HEATING							
3617-27	Driver cab underfloor heating (heated floor mat/Alde htg.)	O	O	O	O	O	O
7227-27	Hot water heating - Alde	S	S	S	S	S	S
7510-27	Autonomous E-bike charger	O	O	O	O	O	O
SUPERSTRUCTURE OPTION – KITCHEN							
7230-27	Extractor hood	O	O	O	O	O	O
7238-27	Oven	O	O	O	O	O	O
7255-27	Large refrigerator	S	S	S	S	S	S
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES							
5221-27	Roof-mounted air-conditioning system, 230 V	O	O	O	O	O	O
5223-27	Roof-mounted air-conditioning system, 230 V (surch. comp. to Mondial)	O	O	O	O	O	O
7321-27	Lithium battery (1x) 150 Ah	O	O	O	O	O	O
7324-27	Lithium battery (2x) 150 Ah	O	O	O	O	O	O
7327-27	2. gel battery - 80 Ah	O	O	O	O	O	O
7341-27	Pre-cabling for solar power system	O	O	O	O	O	O
7512-27	External gas socket	O	O	O	O	O	O
7516-27	Dual-control CS with de-icer	O	O	O	O	O	O
7655-27	Waste water tank, insulated and heated	S	S	S	S	S	S

Preliminary version

Integra Line – Special features

		INTEGRA LINE				ILGT	
		IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	ILGT 726 EF	ILGT 726 QF
SUPERSTRUCTURE OPTION – FABRICS							
6111-27	Protective covers in structured upholstery fabric for the driver and passenger seat	S	S	S	S	S	S
6113-27	"Milano" upholstery fabric	O	O	O	O	O	O
6127-27	"Salento" upholstery fabric	O	O	O	O	O	O
6128-27	"Cremona" upholstery fabric	O	O	O	O	O	O
6129-27	"Glendale" upholstery	O	O	O	O	O	O
6135-27	"Bergamo" upholstery fabric	O	O	O	O	O	O
6137-27	"Leather beige" upholstery fabric	O	O	O	O	O	O
6138-27	"Leather grey" upholstery fabric	O	O	O	O	O	O
SUPERSTRUCTURE OPTION – MULTIMEDIA							
3215-27	Loudspeakers (2) in the superstructure	O	O	O	O	O	O
3237-27	Moniceiver with rear-view camera	O	O	O	O	-	-
3238-27	Naviceiver w. rear-view camera	O	O	O	O	-	-
3239-27	MBUX	-	-	-	-	S	S
3241-27	Internet router	O	O	O	O	O	O
3439-27	Flat screen wall bracket in front area	O	O	O	O	O	O
3441-27	Flat screen wall bracket in rear area	-	-	-	O	-	-
SUPERSTRUCTURE OPTION – OTHER OPTIONS							
3681-27	Elect. front blind	O	O	O	O	O	O
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR							
6475-27	"Chalet" furniture décor	S	S	S	S	O	O
6481-27	"Natural Vintage" furniture décor	-	-	-	-	S	S
MISCELLANEOUS							
9813-27	Reduction of permit by 1 person	O	O	O	O	-	-
9814-27	Reduction of permit by 2 persons	O	O	O	O	-	-
9815-27	Reduction of permit by 3 persons	O	O	O	O	-	-
9816-27	Reduction of permit by 4 persons	O	O	O	O	-	-
MANDATORY							
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage	O	O	O	O	O	O
A 80	Transfer costs	O	O	O	O	O	O

Find a Eura Mobil dealer near you here!

S = Standard feature
O = Optional feature at extra charge
P = Optional package feature
– = Not possible

Preliminary version

Series and layouts

	VANS	ACTIVA ONE	PROFILA T	PROFILA T MB
6 m	 NEW **VV 595 HB** 5.99 m  **V 595 HB** 5.95 m			
7 m	 NEW **VV 635 EB** 6.36 m  NEW **VV 635 HB** 6.36 m  **V 635 EB** 6.35 m  **V 635 HB** 6.35 m	 **A ONE 650 HS** 6.50 m	 **PT 675 SB** 6.99 m  **PT 695 EB** 6.99 m	
8 m			 **PT 720 EB** 7.41 m  **PT 720 EF** 7.41 m	 **PT 696 EB** 7.12 m  **PT 726 EB** 7.54 m  **PT 726 EF** 7.44 m  **PT 726 QF** 7.61 m
9 m				

Preliminary version

PROFILA T FREESTYLE	XTURA	INTEGRA LINE	INTEGRA LINE GT
	 **XT 686 EF** 6.88 m		
 **PT 726 EF FREE** 7.44 m  **PT 726 QF FREE** 7.61 m		 **IL 720 EB** 7.41 m  **IL 720 EF** 7.41 m  **IL 720 QF** 7.57 m  **IL 730 EF** 7.57 m	 **IL GT 726 EF** 7.47 m  **IL GT 726 QF** 7.65 m

Preliminary version



All of the information in this brochure relates to the products listed herein and does not apply to any other products of Eura Mobil GmbH.
The models illustrated in this brochure show the features available in Germany. They may also contain special features and accessories that are not included with the standard scope of delivery.
Due to legal regulations, it is possible that the model variations and equipment features described here might be different in certain countries. Please ask your Eura Mobil dealer about the exact scope and available range of model-specific and model-neutral features. Subject to errors and changes in design, equipment and special features.
We work constantly to improve the quality of our vehicles, which is why we reserve the right to make changes to their features / optional features in this model year as well.
The latest current features, optional features and package contents can therefore only be viewed in the online configurator at www.euramobil.de.
With regard to installations and conversions, please note / comply with the manufacturer specifications and the legal provisions as defined in the German Road Traffic Licensing Regulations (StVZo) and the German Road Traffic Regulations (StVo).
The publication of this brochure renders all previous catalogues invalid.

© Eura Mobil GmbH 2026
Reprints, including excerpts thereof, are only permitted with the written consent of Eura Mobil GmbH.

E-PEM-2027-DE01 Features EM 26/27 DE HT (preliminary version)
Last updated: June 2026

Eura Mobil GmbH - Kreuznacher Strasse 78 55576 Sprendlingen (Rheinhessen)
Tel. +49 6701 / 203 200 - Fax +49 6701 / 203 210 - info@euramobil.de - www.euramobil.de

Find a Eura Mobil
dealer near you here!

Preliminary version